

5670.02 057c

REFERENCE
Room

This issue contains the FEBRUARY INDEX

CURRENT LIST of MEDICAL LITERATURE

Vol. 14

February 27, 1948

No. 7-A



FOUNDED 1836

THE ARMY MEDICAL LIBRARY

Washington, D. C.

The **CURRENT LIST OF MEDICAL LITERATURE** is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price: \$3.00 per year (\$3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents.

Published weekly by the **ARMY MEDICAL LIBRARY** 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists all articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

EDITOR'S NOTE

The subject headings used in the indexes to the CURRENT LIST OF MEDICAL LITERATURE follow, in the main, the form of those established by the QUARTERLY CUMULATIVE INDEX MEDICUS, published by the American Medical Association, Chicago, Illinois.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. Users of these indexes are referred to the QUARTERLY CUMULATIVE INDEX MEDICUS for the necessary cross references to any desired subject.

In order further to conserve space the subject subdivisions used have been abbreviated wherever practicable. A list of the subdivisions abbreviated, together with the abbreviations adopted for them appears below:

- | | |
|---------------------------------------|---------------------------------------|
| abnormalities - abnorm. | hygiene and sanitation - hyg. & san. |
| acute conditions - acute cond. | immunity - immun. |
| accommodation and refraction - | in gynecology and obstetrics - in |
| accomm. & refrac. | gyn. & obst. |
| addiction - addict. | in infants and children - in inf. & |
| administration and dosage - | child. |
| admin. & dos. | industrial and traumatic - indust. |
| administration and organization - | & traumat. |
| admin. & org. | inflammation - inflamm. |
| anatomy and histology - anat. | injuries - inj. |
| & histol. | innervation - innerv. |
| artificial pneumothorax in - artif. | loose bodies in - loose bod. in |
| pneumothorax in | manufacture - manuf. |
| bacteriology - bacteriol. | medicine and surgery - med. & |
| cancer - can. | surg. |
| chemistry - chem. | metabolism - metab. |
| complications and sequels - | metabolism in - metab. in |
| compl. & seq. | morphology - morphol. |
| congenital - congen. | mortality - mortal. |
| deformities - deform. | pathology - pathol. |
| degeneration and regeneration - | perforation - perf. |
| degen. & regen. | physical-mental relationships - |
| determination - determ. | phys.-ment. relationships |
| diagnosis - diag. | physiologic and pathologic effects - |
| diseases - dis. | physiol. & pathol. eff. |
| diseases and poisoning - dis. & pois. | physiology - physiol. |
| dislocations - disloc. | postoperative care - postop. care |
| economic and social aspects - | postoperative complications - |
| econ. & soc. aspects | postop. compl. |
| education and training - educ. & | preoperative care - preop. care |
| train. | preoperative complications |
| effects - eff. | preop. compl. |
| embryology - embryol. | preparation - prep. |
| epidemiology and statistics - | prevention - prev. |
| epidemiol. & statist. | production - prod. |
| etiology and pathogenesis - etiol. | prognosis - progn. |
| & pathogen. | psychology - psychol. |
| examination - exam. | psychologic and psychiatric aspects - |
| excision - excis. | psychol. & psychiat. aspects |
| experimental - exper. | regeneration - regen. |
| foreign bodies - for. bod. | roentgenography - roent. |
| group hospitalization insurance - | standardization - standard. |
| group hosp. insur. | surgery - surg. |
| hemorrhage - hemorrh. | surgical therapy - surgical ther. |
| heredity - hered. | therapy - ther. |
| history - hist. | toxicity - tox. |
| hygiene - hyg. | transmission - trans. |
| hygiene and health - hyg. & | tumors - tum. |
| health | wounds and injuries - wds. & inj. |

SUBJECT INDEX

Vol. 14, Nos. 5-7 (pp. 217-360)

February 27, 1948

- ABDOMEN, acute cond., 248q, 357f; blood supply, 357f; diag., 241p, 249s; pain, 248r, 338q; pressure in, 287j; roent., 305q; surg., 263w, 264-l, 356n; tum., 326o
- ABNORMALITIES AND DEFORMITIES, 227j, 258j
- ABORTION, 228o; compl. & seq., 227w; criminal, 280b, 283v; diag., 228k, 279j
- ACCIDENTS, 252a, 297f, 303s; airplane, 252h; bicycle, 290a
- ACETATES, metab., 223p; prep., 254h
- ACID, acetoacetic, 219v, 268p, 315j; acetylacetic, 220b; adenylypyrophosphoric, 219v, 315u; aminobenzoic, 315p; anthranilic, 223s; aspartic, 318p; butyric, 315j; fatty, 220a, 268m, 295s, 315v; furoylglycollic, 254i; glutamic, 219b, 268d; glycerophosphoric, 283q; ketoglutaric, 219a; linoleic, 319j; malic, 341o; mercaptopyruvic, 222g; oleic, 319j; propionic, 254h, 312d; pyruvic, 219a, 220a, k, 221o, p, 222c, 341o; stearic, 222q; sulfuric, 269n; vanillic, 223-l; viridinic, 296s
- ACIDOSIS, etiol. & pathogen., 336j; ther., 336e
- ACNE, 339o; rosacea, 234h; ther., 242p
- ACONITINE, tox., 324u
- ACRIDINE DYES, eff., 342a
- ACRODYNIA, ther., 259d
- ACRYLATES, 225s
- ACTINOMYCES, 217o, 253u, 314i
- ACTINOMYCOSIS, diag., 239d; epidemiol. & statist., 278m; thoracic, 339-l
- ADDISON'S DISEASE, ther., 277i
- ADIPOSI DOLOROSA, 331e
- ADLER, ALFRED (1870-1937), 261h, j
- ADOLESCENCE, 285r, 335u; dis., 248n
- ADRENAL PREPARATIONS, 224a, 227h, 340i; eff., 217f, 218v, 219o, u, 220h, 227j, 277h, j, 280g, 290s, 298k, 314q, r, 342e; standard., 226i; ther., 277i; tox., 315n
- ADRENALS, 226q; dis., 280h; insufficiency, 334m; pathol., 250p; physiol., 226r, s, t, 335s; secretion, 315d; surg., 359-l; tum., 244h
- ADVERTISING, 272p
- AEROSOLS, 319b; ther., 231g
- AEROSPORIN, 241b
- AGAR, 222m
- AGGLUTIN, 240t, 315b, c
- AGGLUTININS AND AGGLUTINATION, 242k; hemagglutination, 235o, 311f, 333f
- AGGRESSION, 299k, 351a
- AIR, bacteriol., 300s; impurities, 260u; pressure, 252k
- AKR-7 (Plastic), 270a
- ALCOHOL, eff., 350n; tox., 314s
- ALCOHOLEM, 344-l; blood in, 257m; soc. aspects, 352-l
- ALCOHOLS, 224g; prod., 223-l; ther., 224h
- ALDEHYDES, 223f, 254j, 290i
- ALFALFA, 269-l, 333s
- ALGAE, 323r
- ALGINATES, 225r
- ALKALI, eff., 223f
- ALKALOSIS, 333w
- ALLOXAN, 218p; eff., 220i, j
- ALLYL COMPOUNDS, 305f
- ALOPECIA, etiol. & pathogen., 310o
- ALTITUDE, high, 252k, 314-l, 357j
- ALUMINUM AND ALUMINUM COMPOUNDS, 318t
- AMBERGRIS, 253w
- AMBULANCES, 275d
- AMEBIASIS, 243s; diag., 231v, 286i; ther., 286i, 357w
- AMERICAN COLLEGE OF SURGEONS, 308a, i
- AMIDINES, 269m
- AMIDONE, 223c
- AMINES, 224a, 298s
- AMINO ACIDS, 290h, 291e, 336j; determ., 267v, 324g; eff., 218f, g, h, p, 298r; formation, 290u; metab., 268a, 318o
- 5 (4)-AMINO-(4(5))-IMIDAZOLECARBOXAMIDE, 268c
- AMMONIA AND AMMONIUM COMPOUNDS, ethylammonium bromide, 279k; quaternary ammonium compounds, 223p, 240q, 271v, 338e
- AMNION, 228n
- AMPUTATION, 314g; technic, 309k
- AMYLOIDOSIS, 295r
- AMYLOPECTIN, 342a
- AMYLOSE, 342a
- ANALGESICS, 279h, 297w
- ANAPHYLAXIS AND ALLERGY, 255g, 310-l, 350r; bacterial, 234d; diag., 255u; in inf. & child., 234-l, 338g; manifestations, 234p, 235d, e, 239u, 245j, 245m, 267-l, 338f, 346j; serum & vaccine, 263m, 287r, 291a; ther., 244s, t
- ANATOMY, hist., 283k
- ANDROGENS, determ., 227e; eff., 226o, 299j, k, 360v; metab., 227i; ther., 266c
- ANEMIA, 278p, 359k; erythroblastic, 229o; etiol. & pathogen., 229f; hemolytic, 235o, 243i, 283v, 331c, i, 333g, 356c; hyperchromic, 220m, 243i; in inf. & child., 348s; megaloblastic, 274r; splenic, 333g, 349f; ther., 240s, 243g
- ANEMIA, PERNICIOUS, 229m, 230h, 274-l, t; blood in, 274q; compl. & seq., 279e, 294p; etiol. & pathogen., 233k, 283g; hist., 274k; ther., 233k, 274-l, m, o
- ANESTHESIA, 274h; barbitol & barbitol derivatives, 236j, 282g; choice, 294e; compl. & seq., 355p; conduction, 271k; endotracheal, 357e; fatalities, 240u; general, 279j, 287h; hist., 332r, 333a, 339p, 340q; in dentistry, 270m, 271k; in gyn. & obst., 273-l, 326s, 332o, r, 333a; in otorhinolaryngology, 257a; local & regional, 219f, 271k, 297o; myanesis, 240u; nitrous oxide, 236j, 239g, 282g; spinal, 239g, 332t, 333b
- ANEURYSM, 244n; aortic, 236q, 286e, 296w, 347k; cardiac, 250n, 277p, 295j, 317g; cerebral, 255r; coronary, 251b; dissecting, 329d; multiple, 357c; retinal, 333u; ther., 355s
- ANGINA PECTORIS, compl. & seq., 317h; etiol. & pathogen., 324p; metab. in, 330a; ther., 317g, 330a, t
- ANIMALS, experimentation, 289s, 302a, 318m; mortal., 316g
- ANTHRACENE, 223k; ther., 234q
- ANTHRAQUINONES, 223k, 224k
- ANTHRAX, ther., 252r
- ANTIBIOTICS, 217n, 223g, j, 241b, 253u, 265e, 266e, 277g; ther., 240b

- ANTIGENS AND ANTIBODIES**, 236-1,253b,301a,342u;
 formation,233m,313t,327j,1
ANTILIPASE, 341p
ANTIMONY AND ANTIMONY COMPOUNDS, eff.,235-1
ANTINVASIN, 269h
ANUS, abnorm.,228m; anat. & histol.,237-1; surg.,
 278t
ANXIETY, 278j
AORTA, abnorm.,259v; calcification,235p; roent.,
 354p; stricture,220t,235p,317i; surg.,264b; syph-
 ilis,234e
AORTIC VALVE, calcification,317n; insufficiency,
 237s
APHASIA, 328n
APNEA, 341h
APPENDECTOMY, compl. & seq.,252v
APPENDICITIS, 249t; acute,284h; compl. & seq.,
 250o,273f; diag.,228v,339a; in inf. & child.,356o
APPENDIX, abnorm.,258d,288r; mucocele,245i,264o;
 tum.,273f
APPETITE, 323w
AQUEOUS HUMOR, blood supply,256i
ARACHNOID, inflamm.,346i
ARGINASE, 314c
ARMS, dis.,246d
ARMY MEDICAL LIBRARY, 289-1
ARRHYTHMIA, auricular fibrillation,277o; auricular
 flutter,221-1,313v; extrasystoles,220v; in inf. &
 child.,259j; ventricular fibrillation,239-1
ARSENIC AND ARSENIC COMPOUNDS, 224o,342a,
 342h; jaundice from,241j,271r; ther.,285u; tox.,
 242v,247r,250b,327d
ARSPHENAMINES, tox.,242j
ARTERENOL, 224a,291r
ARTERIES, blood supply,298t; cerebral,355d; dis.,
 337g,355u; inflamm.,239c,313u,317o; occlusion,
 221c; pathol.,295o; pulmonary,238r,317k; subclav-
 ian,262j; surg.,247s; vertebral,305h; wds. & inj.,
 355t
ARTERIOSCLEROSIS, cerebral,344p; coronary,284g;
 diag.,347u; pathol.,347u
ARTHRITIS, 244-1,245m,n; bibliography,278b; compl.
 & seq.,245k,284n,330v; etiol. & pathogen.,267-1;
 ther.,345a; tuberculous,267j
ARTHRITIS, RHEUMATOID, 234j,267j,284d; compl. &
 seq.,348v; ther.,329c
ASCARIS, 357-1
ASCORBIC ACID, 268h; determ.,222m; eff.,256i,
 297v; in blood,230j; in urine,298g
ASPARTASE, 318p
ASPERGILLUS, 342e
ASPHYXIA, neonatorum,279n
ASTHMA, 336d,338g; diag.,234n; etiol. & pathogen.,
 234o; in inf. & child.,333p; ther.,234n,q,u,298s,
 288f
ASTHMATISM, 293-1; ther.,292c
ATHETOSIS, 348n
ATLAS AND AXIS, disloc.,353g
ATOMIC ENERGY, 267s,279q,291i,302n; medical
 applications,227k,239p,245e,261d,262o,268b,299-1,
 301m,306a,314o,335p,354k
ATOMS, 319i
ATROPHY, muscular,340t
AUTOMATISM, 339i,342g
AUTOPSIES, 312o
AVIATION AND AVIATORS, medicine,252g; physiol.
 & pathol. eff.,252j; tests,300c; transportation of
 wounded & sick,253a; wds. & inj.,252h,309c
BACKACHE, 249s
BACTEREMIA, 257n,270a; ther.,276u
BACTERIA, 290a,v,315e; acid-fast,341p; acidophilus,
 245p; action,222n,290-1,341o; aerobic,222-1; aero-
 genes capellatus,331u; alkalescens,257n; anti-
 onism,222j; clostridium,254c,315r,318k; coli,219v,
 220a,b,258o,259f,334k; corynebacteria,222j; cul-
 ture,218i; enterococci,303-1; enzymes,222h,254c,
 341p; extracts,218f,g,h,i; funduliformia,331f; iron,
 254c,q; lactic acid group,269f,328c; metab.,297n;
 proteus group,348o; typhoid group,266g,327-1;
 viability,283i
BACTERIOLYSIS, 218f,g,h,i
BACTERIOPHAGE, staphylococcus,261a
BALANTIDIASIS, 288s
BANDAGING, 309s
BARBITAL AND BARBITAL DERIVATIVES, eff.,
 233p; tox.,244u,324t
BARIUM, chloride,312u; determ.,293g
BARLEY, 323k
BEANS, 318m
BEDBUGS, 311o
BEDS, 241g
BEHAVIOR, 249w,343p
BEHOET'S SYNDROME, 294t
BENZAMIDINES, 269m
BENZENE, tox.,229p
BENZHYDROL, 290k
BENZIDINE, 292r
BERGMAN, TOBERN OLOF (1735-1784), 291f
BERYLLIUM, tox.,306t
BETATRON, 354k
BIBLE, 230o
BIBLIOGRAPHY, medical,332d,340n
BIGUANIDE DERIVATIVES, 224o,358k
BILE, acids & salts,254a; secretion,337v
BILE DUCTS, abnorm.,272t,u; calculi,243q; dis.,
 272u; obstruction,264u,337h; perf.,305g; roent.,
 305g; tum.,273a
BILIARY TRACT, dis.,246b; surg.,285d,e
BIOLOGIC PRODUCTS, 312t,314s
BIOLOGY, 253s
BIOTICS, 314i
BIOTIN, 318k; metab.,233r
BIRDS, dis.,311u
BIRTH CONTROL, 227r
BISMUTH AND BISMUTH COMPOUNDS, tox.,241j
BLACKWATER FEVER, 278v
BLADDER, abnorm.,207p,338b; can.,338i,339a,359r;
 cystoscope,360c; cystoscopy,242e; dis.,246c;
 diverticula,359r; drainage,246c; inflamm.,359g;
 paralysis,310b; physiol.,219u; tum.,359-1
BLASTOCYSTIS, 232m
BLINDNESS, 237j,337j,340m; in inf. & child.,255d;
 ther.,292c
BLOOD, 222a,252n,334d; amino acids,251o,p; amyl-
 ase,257m; bilirubin,240m; chem.,326v,348d; chlo-
 rides,285n; cholesterol,253f; circulation,245e,
 277k,355s; coagulation,229g,h,v,233n,298d,h,320k,
 327g,328t; count,229r; enzymes,315g; exam.,234d,
 249h,257t; fats & lipoids,251p,338g; fibrin,247j;
 formation,230a,232g; glutathione,253f; groups,
 233m,236-1,247s,253b,289p,291q,314k,315h,334a,
 339a,344v,356c,357k,359h; iron,348i; lactic acid,
 329a; methyl alcohol,251k; nitrogen,219j,220j,298r;
 oxygen,233v,257k,260o,298t; penicillin,278i,322e,
 329m; pentose,298u; peptidase,221t; picture,229g;
 plasma,252m; preservation,252n,253c; protease,
 314d; proteins,251p,268t,318j,358r; prothrombin,
 256p,328t; pyruvic acid,329a; relaxin,316d; sedi-
 mentation,222b,230b,251h,278r; uric acid,319e;
 volume,277k,289e,325k,353d
BLOOD PRESSURE, determ.,220t,316c; eff. of drugs
 on,277k,330a; intracardiac,317i; low,235b; varia-
 tions,228j; venous,314o,329b
BLOOD PRESSURE, HIGH, 239n,263v,277a,q,278d,
 284m,317i,v,359o; compl. & seq.,347-1,359k; etiol.
 & pathogen.,277m,334n; exper.,277b,c; pathol.,
 295a,o,p; ther.,240r,289q,r,315n,336a
BLOOD SUGAR, 218q,298u; eff. of drugs on,268p;
 hyperglycemia,238-1; hypoglycemia,219k,238-1,

- 283d,338o; in various cond.,2201
BLOOD TRANSFUSION, 237-1,247s; compl. & seq.,
 282k,339o; in inf. & child.,347i; preserved blood in,
 280n,347m
BLOOD VESSELS, dis.,220t,246g,355s; pathol.,259t;
 rupture,357i; wds. & inj.,333s
BODY, weight,314o
BODY-SNATCHING, 339p
BONES, 343a; anat. & histol.,321e; can.,263n,278q,
 304r; cysts,286d; dis.,259h,263n,307a,b,353w;
 fragility,235f; growth,270b,283c,309e; marrow,
 229c,v,230f,232f,271p,274q,281c,285b,327c,d,328b;
 surg.,309p,355v,357e; transplantation,308w; tum.,
 244h,259c,262n,264p,281a,289i,306g,334f
BONNERME (SURGEON), d.1609, 249o
BOOKS, 341v
BORON COMPOUNDS, 342b
BRACES, 264r,s
BRAIN, 268-1,m; abnorm.,244n; abscess,263a; anat.
 & histol.,238s,299c; blood supply,234a,c,239c,305h,
 306p; calcification,332g; can.,282o; cysts,290a;
 dis.,288b,355f; electroencephalography,299d,344n;
 for. bod.,263a; hemorrh.,234c; hernia,263a,353n;
 innerv.,219s; pathol.,338o,355f; physiol.,227d,m,
 297a,298b,299e; surg.,234a,251p; tum.,165h,239h,
 245d,344c; wds. & inj.,219r,252e,264g,290a,344n
BREAST, abnorm.,249f; can.,218-1,240g,245c,246i,
 248v,264p,304k,1,m,306n,s,316-1,330i,332o,334i,v,
 335s,359w; inflamm.,236s,288c; surg.,279f,310m;
 tuberculosis,265o; tum.,247f,265o,274a,305o
BRILL-SYMMERS DISEASE, 354j
BROMIDE AND BROMINE, determ.,319h; tox.,330c
BRONCHI, 320r; calculi,347d; can.,237c,243e,245u,
 248g,h,263n,t,283b,331b; obstruction,347c; pathol.,
 313k; physiol.,235a; roent.,354-1; rupture,334s;
 spasm,347c; tuberculosis,242s,312f,358u,359f;
 tum.,289j
BRONCHIECTASIS, 312-1; diag.,353s; etiol. & path-
 ogen.,289e; in inf. & child.,259g,333o; ther.,283t,
 284e,337r
BRONCHITIS, in inf. & child.,240e
BRUCINE, 269s,t
BUCKWHEAT, 324b
BUNSEN BURNERS, 292n
BURDOCK, 223i
BURNS, 252d; compl. & seq.,310p; exper.,264g; ther.,
 356e
BURSA, surg.,309j
BUTESIN, tox.,315p
CABBAGE, 268r
CADMIUM, tox.,349s
CADAVERS, 324m
CAFFEINE, 223b; eff.,297o
CALCANEUM, dis.,274b; fractures,308t,309-1;
 ossification,306h
CALCIFICATION, 305o; metab. in,268s
CALCIUM AND CALCIUM COMPOUNDS, determ.,
 221q; eff.,221q; metab.,228-1,235v; radioactive,
 268s
CALIFORNIA TUBERCULOSIS AND HEALTH ASSO-
CIATION, 263n
CALLUS, 353r
CAMERAS, 263f
CANCER, 248s,280d,307w,316n,337-1; blood in,229r;
 cells,248s,u,250g,306n,313k,316r; chorionic,237u;
 diag.,236f,h; epidemiol. & statist.,248w,311s,336q;
 etiol. & pathogen.,254d,281p,342i,355b; exper.,
 249a; immun.,306n; metastases,243e,242s,244g,
 246p,263n,265m,287q,304m,r,330j,334v,338i,347b,
 355a; mortal.,301o; multiple,295v; prev. & control,
 316m; progn.,229r; radiother.,229f,r; research,
 248u; roentgenother.,306n,354w; ther.,245p,261w,
 281w,303w,306r,334c,347g,354w
CANNULA, 241g
CAPILLARIES, eff. of drugs on,315i; pathol.,295p;
 permeability,296g,328q
CARBOHYDRATES, 269k; metab.,227d,251k,254c,297d,
 331a; tox.,333p
CARBON, 289j; determ.,319u; radioactive,223p
CARBON DIOXIDE, 318i; eff.,316a; spectrum anal-
 ysis,291w; ther.,334j; tox.,295t
CARBON MONOXIDE, 223t; tox.,241n
CARBON TETRACHLORIDE, tox.,332i
CARDIOVASCULAR DISEASES, progn.,277a; syph-
 ills,234e,244b,277g; ther.,273s,276v,334c
CARDIOVASCULAR SYSTEM, abnorm.,245u; eff. of
 drugs on,276v
CAROTENE, 341s
CAROTID PLEXUS, 235u
CAROTID SINUS, 260p,264m,354o
CARTILAGE, 218b; inflamm.,309i; transplantation,
 264i,310v
CASE RECORDS, 235j
CASTRATION, 313s,325u
CASTS, 262w
CATALASE, 218r,314e; eff.,269d; prod.,218q
CATARACT, 248k; congenital,256g; etiol. & pathogen.,
 313u; extraction,335g; senile,334k; ther.,257c
CATGUT, 247g
CATS, 311t
CATTLE, dis.,311j,312v
CECIUM, can.,235k
CELIAC DISEASE, 288m
CELLS, 248t,334p; division,261b,297n,316g; physiol.,
 229h,329h
CELLULITIS, 332w
CELLULOSE, 222n
CENETHYL, 235b
CENSORSHIP, 240a
CEREBELLUM, can.,242s; cysts,333-1; innerv.,219s;
 physiol.,260m; wds. & inj.,219r
CEREBROSPINAL FLUID, chlorides,261d; in various
 dis.,348h; sodium,261d; tests,241o,243w
CESAREAN SECTION, 286m,325p,326j; compl. & seq.,
 240-1
CESIUM, eff.,341o
CHEMISTRY, 343p; hist.,291f; organic,224e; re-
 search,253o
CHEWING GUM, 256p
CHICKENPOX, herpes zoster & chickenpox,244q
CHILBLAINS, hered.,325g
CHILD WELFARE, 259j,262h,343p,349b; in Brazil,
 228u
CHILDREN, dis.,248c,278s,338f,348d; educ. & train.,
 255n,299r,w; growth & development,282u,305k,
 335u,352n; mental disorders,255b,e,f,g,261j,343k,
 351o; psychol.,255d,259i,336e,343m,352q
CHLORALOSE, 290p,350t
CHLORDANE, 271u
CHLORIDES, determ.,260v,319h,319m
CHLOROETHYL SULFIDES, eff.,295f
CHLOROETHYLAMINES, eff.,295i; tox.,328c
CHLOROPHYLL, 318i
CHLOROPLAST, 341k
CHOLERA, 242k,276q
CHOLESTEROL, 218k,254j,347r; formation,269c;
 irradiated,254d; metab.,231k
CHOLINE AND CHOLINE DERIVATIVES, 223v,280-1,
 299b; eff.,290s; tox.,220m
CHONDROIT, 310v
CHOROD, can.,334v; pigmentation,338c; tum.,256b
CHROMAFFIN SYSTEM, 295v
CHROMATOGRAPHY, 224b
CHROMOSOMES, 217i,341v,342d
CINCHONA, 232v
CISSUS, 349r
CITRATES, metab.,219a
CLIMATE, 339d; eff.,267d
CLOTHING, 300u,340a
COAGULASE, 257v

- COATINGS, 292m
 COCCIDIOSIS, 257o, 289n, 342j; compl. & seq., 284f
 COCCIDIOIDOMYCOSIS, 289h, 295q
 COCCYX, surg., 307r
 COFFEE, 276s
 COGNITION, 255d
 COTUS, 315g, 337p, 360r
 COLAMINE, 290-1
 COLCHICINE, tox., 297n
 COLD, eff., 222e, 235a, 333f, 339w, 341c, 344s
 COLITIS, 280h; etiol. & pathogen, 232, 259m; ulcerative, 233g, 237d, 330k
 COLLÈGE DES MÉDECINS ET CHIRURGIENS, QUEBEC, CANADA, 249k
 COLLOIDS, 222a, 319c
 COLON, blood supply, 264d; can., 235k, 264v, 307m; hernia, 353j; surg., 264c, 310b, d; tum., 239s, 263f, 356m
 COLOR, 292w, 293b
 COLOR BLINDNESS, hered., 325f
 COLOR PERCEPTION, tests, 292c
 COMMUNICABLE DISEASES, 251v, 345h; diag., 336-1; in Ger., 301s; ther., 339r
 COMPLEMENT, fixation, 342u
 CONGO RED, 288u
 CONJUNCTIVA, hemorrh., 250t
 CONSTIPATION, etiol. & pathogen, 286d
 CONTRACTURE, Dupuytren's, 245-1, 307u; ischemic, 307t
 CONVALESCENCE, 251w
 CONVULSIONS, 233u; in inf. & child., 348t; therapeutic, 343v
 COOKING, 349u
 CORNEA, 335f; conical, 247f; edema, 335m; surg., 324n, 335m; tum., 345u; ulcers, 346a, b, c
 CORONARY VESSELS, dis., 250s, 277f, 329j; occlusion, 220v, 221a; pathol., 233t; roent., 354p
 CORPUS LUTEUM, hemorrh., 228v
 COUMARIN, 279m; eff., 327g; tox., 239d, 338p
 COURTSHIP, 231d
 CRAMPS, 228n
 CRANIUM, dis., 353j; fractures, 290a; mucocoele, 333t; ossification, 270b; osteomyelitis, 293s, 294f; pressure in, 344d, 352w; roent., 352w, 353f, 354g; tum., 305w; wds. & inj., 333k
 CREATINE AND CREATININE, metab., 268b
 CRETINISM, 335t
 CRIME AND CRIMINALS, 325b; econ. & soc. aspects, 231g; in Berlin, Ger., 341d; psychol. & psychiat. aspects, 302u, 344-1
 CRIPPLES, 300j; care of, 282h
 CROHN'S DISEASE, 340t
 CROTONALDEHYDE, 290j
 CRUSTACEA, 266t
 CURARE, eff., 236j, 279m, 282g; ther., 297f, 343v
 CYANIDES, eff., 350m; tox., 275p, 297n, 327f
 CYANOSIS, 235s; ther., 221m
 CYCLOHEXANE, 231s
 CYSTINE AND CYSTEINE, 222t; eff., 297q
 CYSTS, 311n
 CYTOCHROME, 235b, 314-1, 342q
 DAIRYING, 323t
 DEAFNESS, in inf. & child., 255d; ther., 336t
 DEATH, causes, 244k, 254w, 289e, 341c; sudden, 355p
 DECEREBRATION, 218j, 260m
 DEHYDRATION, 316a
 DEHYDROGENASE, 313q
 DELOUSING AGENTS, 300t
 DEMENTIA PRAECOX, 255k; blood in, 251o, p; compl. & seq., 344r; diag., 344p; ther., 251p, 283g
 DEMEROL, eff., 219t
 DENGUE, ther., 311k
 DENTISTRY, 225d, 270c, 320e, v; apparatus, 225c, f, 320m; educ., 225f, 320o, v, 321g; hist., 270v, 271a; in U. S. S. R., 271c; progress, 225o
 DEPRESSION, ther., 289v
 DERMATITIS, 323b; exfoliativa, 259i; herpetiformis, 321p; medicamentosa, 226j
 DERMATOLOGY, 320e; teaching, 226c
 DESOXYEPHEDRINE, eff., 251e
 DETERGENTS, 303k
 DEXTROSE, 251-1; glycolysis, 220k
 DIABETES INSIPIDUS, in inf. & child., 283h
 DIABETES MELLITUS, 218n, o; blood in, 283d; compl. & seq., 285p, 336q, 337g; exper., 218o, 236m; eyes in, 328q; in inf. & child., 255e; metab. in, 298e; pregnancy & diabetes, 237b; surg. in, 237c, 329p; ther., 238k, 251f, 259f, 326u
 DIAGNOSIS, 238v, 312o; methods, 242k, 257d, 278w, 338h
 DIAPHRAGM, 276g, 305p; eventration, 354r, s; roent., 354k; tum., 262n
 DIARRHEA, 230h; in inf. & child., 333p
 DIATHERMY, 337u, 341n; surgical, 345c
 DIATHESIS, hemorrhagic, 327d
 DIAZO COMPOUNDS, 292r
 DIBENZOPHENONE TRISULFIDE, 224j
 DICHLORODIPHENYLTRICHLOROETHANE, 303n, 339a, 351c, 357r; eff., 301c, e, 303e; tox., 340f, g
 DICHLOROETHYL SULFIDE, 260u; tox., 342e
 DICHLOROVINYLSARFENE, 260u
 DICUMAROL, tox., 229j
 DICYEMIDA, 266m
 DIET AND DIETETICS, 241r, 323p; adequate, 272b, k, 1, m, 323j; deficient, 282u, 287f, 326c; dis. & diet, 237q, 249p, r; exper. studies, 221q, 316b, 318n
 DIFLUORYL TRISULFIDE, 224j
 DIGESTIVE SYSTEM, diverticula, 337c; innerv., 266k
 DIGITALIS AND DIGITALIS PREPARATIONS, 245g, 349s; eff., 235f
 DIHYDROCINEROLONE, 222v
 DIHYDROCODEINONE, 224n
 DIMERCAPTOPROFANOL, 242v, 276s; eff., 338s; ther., 238s, 259d; tox., 315m
 DIPALMITYL LECITHIN, 268-1
 DIPHTHERIA, bacilli, 222h; compl. & seq., 250a, 287s; immun., 232b, 234-1, 259a, 281j; pathol., 347s; ther., 335h; toxin, 222h
 DISEASE, air-borne, 300-1; chronic, 303i, 308b; etiol. & pathogen, 230m; periodic, 239i; phys.-ment. relationships, 233u, 234g, 235-1, 238v, 263e, 271p, 278j
 DISINFECTION AND DISINFECTANTS, 339s
 DISLOCATIONS, 309c; ther., 352a
 DITHIOBIURET, eff., 315o
 DIURESIS AND DIURETICS, 247c, 277w, 329k, 337u, 339d
 DOGS, dis., 240t, 315b, c
 DOUGLAS POUCH, 250o
 DROWNING, 249d
 DRUGS, 297f; eff., 218t, 350-1, 354t; legislation, 297f; synergistic action, 298t, 328r; tolerance, 296-1; tox., 234r, 235c, 342k; vitamin content, 298v
 DUCTUS ARTERIOSUS, 262i, j, 283u
 DUMFRIES AND GALLOWAY ROYAL INFIRMARY, SCOTLAND, 275c
 DUODENUM, contents, 219k; dis., 333w; mucosa, 313r; obstruction, 264w, 356k; roent., 246j; surg., 285b, c, 359q
 DUST, 234o, 328i; electrification, 342r
 DWARFISM, renal, 243u, 281u
 DYES, spectrum analysis, 292r
 DYSENTERY, 259o, p; bacillary, 259q; bacilli, 314j; compl. & seq., 241d; etiol. & pathogen., 311i; immun., 327m; in inf. & child., 250-1, u, r
 DYSLEXIA, 255t
 DYSMENORRHEA, ther., 310g
 DYSYPNEA, ther., 235b
 DYSTROPHY, muscular, 277f, 278r
 EAR, internal, 346b, v; middle, 250e, 294a, r, 346t; tum., 294r, 346u; tympanic membrane, 257d, 293t
 ECLAMPSIA, 279b; compl. & seq., 246v, 326p; prev., 326-1; ther., 227u
 ECONOMICS, MEDICAL, 239v, 274w, 280b, 334g; in France, 281r

- ECZEMA, 315p,323d
 EDEMA, dystrophic,349i; etiol. & pathogen.,347i; ther.,280o
 EDUCATION, MEDICAL, 230v; curriculum,308a; in U. S.,248n; teaching,275h
 ELECTRICITY, 341w
 ELECTROLYTES, 290t,318s
 ELECTRONS, 224e,354k
 ELECTROPHORESIS, 350k
 ELECTROPHYSIOLOGY, 329f
 ELECTROTHERAPY, 225i
 ELEPHANTIASIS, ther.,353h,357a
 ELIXIRS, 296k
 EMBOLISM, 329e,347r; cardiac,264b; gas,279f,347o; pulmonary,278c; ther.,281t
 EMBRYOLOGY, 217t,u,218a,e,226o,254k,260n,t,v,266q,267g,290k,343a,360r,w
 EMOTIONS, 255e,278o,344r
 EMPHYSEMA, diag.,305u; mediastinal,287m; pulmonary,331f; subcutaneous,287m
 EMPYEMA, 265i; diag.,339-1; in inf. & child.,243m; ther.,331f; tuberculous,356g
 ENCEPHALITIS, periaxialis diffusa,275p
 ENCEPHALITIS, EPIDEMIC, exper.,314e; heart in, 257m
 ENCEPHALOMYELITIS, equine,301c,e
 ENDOCARDITIS, infectious,221j,233s,236a,246q,248b,270t,v,277d,280s,284a,286t,295j,330o,p,336a,339c
 ENDOCRINE GLANDS, 334e; dis.,255e,335u,354m
 ENDOCRINE THERAPY, 241k,334e
 ENDOMETRIOSIS, 227q,244e,326i; compl. & seq., 304o; diag.,228s; etiol. & pathogen.,326o
 ENDOMETRIUM, 237f
 ENDOSUBTILIN, 218f
 ENEMATA, 333c
 ENERGY, 338q
 ENVIRONMENT, 336o
 ENZYMES, 268r; eff.,221p,s,222e,267u,298s,318e; proteolytic,315q; ther.,235b
 EOSINOPHILS, 230c,249b,259c,262n,327r
 EPHEDRINE AND EPHEDRINE DERIVATIVES, 224a; eff.,260p
 EPIDERMOLYSIS, bullosa,279h
 EPIDIDYMITIS, etiol. & pathogen.,359v
 EPILEPSY, 250c; compl. & seq.,237j,342g; etiol. & pathogen.,246v,337i; in animals,315b,c; in inf. & child.,343m; ther.,236d; traumatic,290b
 EPIPHYSES, separation,274e,308u,v
 EPITHELIUM, 254-1
 EQUILENIN, 223n
 EQUILENONE, 223n
 EQLIBRIUM, 346g
 ERGOT AND ERGOT PREPARATIONS, eff.,326q; ther.,226v
 ERYTHEMA, nodosum,232q
 ERYTHROBLASTOSIS, FETAL, etiol. & pathogen., 282k; ther.,347i
 ERYTHROCYTES, 314n,p,v,353d; count,229k,230e; permeability,299u
 ERYTHRODERMA, etiol. & pathogen.,284k; ther., 284k
 ESOPHAGUS, atresia,353o; can.,307o,331b,347a; dilatation,250-1; diverticula,306f,m,337c; exam., 288v; innerv.,237m,264-1; obstruction,329p; perf., 346-1,356i; roent.,306d; spasm,308r; stricture, 294i,353t,356j; tum.,288e,354c
 ESTERASE, 268u
 ESTERS, 267q; hydrogenation,223-1
 ESTROGENS, 218j,k,226n,v,269m,320a; eff.,218k, 226o,227-1,m,313q,351e,360r; ther.,286c,317a,b, 326u; tox.,303v,359u
 ETHANOLAMINES, 333b
 ETHICS, MEDICAL, 249-1,281k; professional secrecy, 281g,331s
 ETHMOID BONE, tum.,295a
 ETHMOID SINUS, for. bod.,346s; mucocoele,346p
 ETHYL CARBAMATE, 223p; ther.,347g
 ETHYLENE DISULFONATE, 233m
 EUGENOL, 290q
 EUNUCHOIDISM, 335s
 EUPHORBIUM, tox.,291a
 EUSTACHIAN TUBE, 294r,346f; tum.,294r
 EVOLUTION, 290q,352o
 EXANTHEMS, 236u
 EXERCISE, eff.,236d,317g,352p; therapeutic,337r
 EXOSTOSES, 305n
 EXPLOSIONS, 277a,291n,335b,342c
 EXTENSION, apparatus,309u
 EXTREMITIES, 360u; artificial,252b,309q; blood supply,264b,317o; can.,330j; paralysis,241f,264s, 309e,330j,r,331h; surg.,309j
 EYELIDS, dis.,238d; surg.,310r
 EYES, 245a,345p; accomm. & refrac.,285o,292d,f,j,k, 293m; calcification,346b; diagnostic significance, 344d; dis.,248b,331q,345p,r; exam.,256m; for. bod.,255w,345n,v; ossification,247k; paralysis, 256a; physiol.,266g; pigmentation,297u; strain, 255u; tension,255s,288g; wds. & inj.,340d
 FABRICS, impregnated,302-1
 FACE, can.,262w,294v; dis.,271k; roent.,353a
 FALLOPIAN TUBES, can.,239b; dis.,227f,242c; insufflation,228h,273q; roent.,228h,305e; surg., 325t; tuberculosis,249i,305i
 FAMILY, 259e
 FASCIA, 273t
 FAT, 319j,343e; metab.,298e; necrosis,333v; oxidation,222c; ther.,237q
 FEAR, 273o
 FECES, exam.,257s,268q
 FECUNDITY, 228k,231p,287v,335r
 FEMUR, fractures,250m,309a,o
 FERRITIN, 313r
 FERTILISINE, 290v
 FERTILIZERS, 319q
 FETUS, abnorm.,241s,349d; asphyxia,288q; pathol., 228n
 FEVER, diag.,276v; high,228s,233o,348t; periodic, 239i
 FIBRINOGEN, 318f
 FIBULA, osteomyelitis,244q
 FILARIASIS, diag.,241k; ther.,241k; trans.,357s
 FILTERS, 267o,292-1,m
 FILMS, abrasion resistance,292n
 FINGERS AND TOES, 309s; abnorm.,244m; dis.,245o
 FISTULA, appendical,260o; arteriovenous,356a; aural, 346h; biliary,315s; bronchopleural,246u; esoph- ageal,265i; esophagotracheal,353o; gastrojejuno- colic,338r; pancreatic,244v; rectourethral,241e; thoracic,247e; urethroperineal,308r
 FLATULENCE, ther.,305q
 FLAVONES, 296g; eff.,315i
 FLEAS, 303n
 FLOUR, 315b,c
 FLUIDS, 297m,319q
 FLUORESCENCE, 292t; determ.,297t; microscopy, 297u
 FLUORIDES, eff.,261v
 FOLLICULITIS, 321n
 FOOD, 272o,p,334f,341t; allergy,336d; analysis,319q; chem.,268n; frozen,272e; poisoning,303-1; sanitation,302g; stored,323o; vitamin content,298v
 FOOT, deform.,325q; flat,309f; pain,352q; trench, 252e; tum.,316k
 FOOT AND MOUTH DISEASE, immun.,291b
 FOREIGN BODIES, in air & food passages,356h
 FORLANINI, CARLO (1847-1918), 231e,f,g,h
 FORMAMIDE, 290i
 FRACTURES, 309a,c; compl. & seq.,230q; healing, 309g; ther.,278q,287-1,309v; united,309h

- FRAMBESIA, 357m
 FROMM, ERICH (1900-), 261h
 FRONTAL BONE, fractures, 293u
 FRONTAL SINUS, dis., 241r, 293s; mucocoele, 346o, p
 FROSTBITE, 352e
 FRUITS, 341t
 FUNGI, 317m, 228a, 318o, 349m
 FUSOSPIROCHETOSIS, 287r, 225h, 346r
 GALACTOMANNAN, 269-1
 GALLBLADDER, calculi, 355k; dis., 236q, 238h, 336k; excis., 272u; perf., 278m, 317r; reent., 286o, 353q
 GANGLION, ciliary, 266p; spinal, 219o, 360u; sympathetic, 287p; thoracic, 317q
 GANGRENE, etiol. & pathogen., 285p; gas, 252c, 307p
 GAS, expansion, 291n; poisoning, 340d, e; warfare, 297l, 340b
 GASTROINTESTINAL TRACT, dis., 233f, 260a, c, e, f, 279-1, 296a, 334b; exam., 338b; obstruction, 355q; wds. & inj., 251b
 GELATIN, 246-1
 GENERAL ELECTRIC COMPANY, 2911
 GENITALS, dis., 228w; embryol., 254o; tuberculosis, 305e, 359k; ulcers, 284t
 GENTOURINARY TRACT, infections, 360c
 GLASSES, 292t, w; contact, 346d
 GLAUCOMA, 234p, 255s; in inf. & child., 256f; ther., 256a, h
 GLOBULIN, 268l
 GLOSS, 292v
 GLUCIDES, 220b; in diet, 331a; metab., 220b
 GLUCOSAMINE, 223j
 GLUCOSE, tox., 223u
 GLUCOSIDES, eff., 297r
 GLUTAMINE, 268h; synthesis, 298f
 GLYCERIDES, 221v
 GLYCERIN, 296r, s; in diet, 350b
 GLYCINE, 268c, h
 GLYCOCYAMINE AND GLYCOCYAMIDINE, 219d
 GLYCOGEN, 254s; in liver & muscle, 218n, 298k, 314d, 315f; metab., 219o, p, q
 GLYCOL, 296r, s
 GOITER, heart in, 317s; in inf. & child., 248n; intra-thoracic, 357a; prev., 272q; ther., 316t; toxic, 279k
 GOITER, EXOPHTHALMIC, surgical ther., 317s; ther., 285s, 335p
 GOLD AND GOLD COMPOUNDS, 271t; eff., 229g; tox., 294k, 310o, 338s
 GONADOTROPINS, 298m; chorionic, 227g, 316d
 GONADS, embryol., 218r; transplantation, 314f
 GONOCOCCI, infections, 258o
 GONORRHEA, 249q, 339f; compl. & seq., 245c; in inf. & child., 348f; ther., 254c, 266f, 286b, 339f, g, 360f, j; trans., 329t
 GOUT, 238a; etiol. & pathogen., 282s
 GRAAFIAN FOLLICLE, 228d
 GRANULOCYTOPENIA, 277s; compl. & seq., 229v; etiol. & pathogen., 236e; ther., 230t, 262e
 GRANULOMA, 239e, 251a, 259c; compl. & seq., 262n; etiol. & pathogen., 239h; inguinal, 235q, 262m, 334f; tuberculous, 258n
 GREAT BRITAIN. NATIONAL HEALTH SERVICE, 360i
 GROWTH, exper. studies, 220g, 268c
 GUMS, dis., 242j; inflamm., 225h
 GYNECOLOGY, 253j; diag. in, 228d; surg. in, 241k, 273k; ther. in, 247w, 281o
 HAECKEL, ERNST HEINRICH (1834-1919), 297b
 HAIR, color, 318h; growth, 323n; removal, 226f
 HALLUCINATIONS, 329f; ther., 250e
 HAND, dis., 245o, 246d, 321m; surg., 307t
 HAPTOGLOBIN, 358r
 HEAD, can., 279s; surg., 346w; tum., 310j; wds. & inj., 290b, c
 HEADACHE, 277r; diag., 235b; etiol. & pathogen., 244p; ther., 235b
 HEALTH, 257p; educ., 241b; resorts, 281-1
 HEARING, physiol., 247t
 HEART, abnorm., 221f, m, 335s, 241m, 262i, 325o; beat, 315k; block, 235p, 277o, 335e; blood supply, 283u, 317r; calcification, 235p; dilatation, 306v, 334a; dis., 221f, 237l, r, 270a, 273e, 277u, 278a, 283u, 286h, 337c; eff. of drugs on, 235-1, 289t, 315j; electrocardiography, 221b, 288v, 316a, 317g, v, 318a, 336b; exam., 221b; hypertrophy, 220e, 347p, q; infarction, 220u, 221d, i, 334u; innerv., 334o; insufficiency, 235i, 240r, 312h, 314o, 317j, 327s; murmurs & sounds, 234i, 259b; muscle, 295t; pathol., 347r; perf., 221d; physiol., 218e, 260p; rate, 221f, 317m, p, 335e; reent., 250n, 305e, 354-1; rupture, 221d; surg., 287b; syphilis, 221k; tuberculosis, 347k; valves, 317n; wds. & inj., 356b
 HEAT, eff., 253g, 261c, 339w
 HEEL, innerv., 309-1
 HELIANTHUS, 222d
 HELMHOLTZ, HERMANN LUDWIG FERDINAND VON, (1821-1894), 338q
 HEMOCHROMATOSIS, 313r
 HEMOGLOBIN AND HEMOGLOBIN COMPOUNDS, 218u, 219m, 267c, 336s, 358r; determ., 234b; spectrum, 219e
 HEMOGLOBINURIA, etiol. & pathogen., 236d
 HEMOLYSIS, 219v; exper., 327f
 HEMOPHILIA, hered., 325f
 HEMOPOIETIC SYSTEM, can., 262q; dis., 229c, p
 HEMORRHAGE, 333i, 356b; compl. & seq., 356d; etiol. & pathogen., 229i, 230g, 330s, 338p; intra-abdominal, 314g; postop., 229t
 HEMOSTASIS, 252e
 HEPATITE, INFECTION, 283m
 HEREDITY, 222p, 253p, 341i; human, 334q; in dis., 332e; mechanism, 325g, 342c, 350w, 351a
 HERMAPHRODITISM, intersexuality, 254p
 HERNIA, diaphragmatic, 307-1, 336c, 353j; inguinal, 333u; perineal, 307r; strangulated, 310h; umbilical, 312w; vaginal, 326c
 HERPES, simplex, 329w; zoster, 236b, 331v
 HERTZIAN WAVES, 293c, d, e
 HEXAETHYLTETRAPHOSPHATE, 235a
 HIP, ankylosis, 246r; dis., 309m; disloc., 284n, 308o
 HISTAMINE, antagonists, 244s, 306b, 329k, 333k; eff., 234w; tox., 244p
 HISTIDINE, determ., 268n
 HISTOPLASMA, 257w
 HISTOPLASMOSES, 262k, 347m; diag., 314b, i
 HODGKIN'S DISEASE, 265v, 296a; compl. & seq., 306a; diag., 330m; etiol. & pathogen., 327e; immun., 235g; pathol., 281c; ther., 230g, 338d
 HOGS, feeds & feeding, 239o
 HOMIOPATHY, therapeutics of, 225m
 HOMESICKNESS, 351n
 HOMICIDE, 324v
 HOOKWORM INFECTION, epidemiol. & statist., 239a
 HORMONES, 355p; sex., 223a, 227e, g, h, i; ther., 285d, 311j, 332o
 HORNER SYNDROME, 294o
 HORNEY, KAREN, 261h
 HOSPITALS, 275a, 303s, 308b, 345e; admin. & org., 230w, 231a, 275a, i, 289v, 308h, 345i; communicable dis. in, 271p, 359b; dietetics, 289v, 324e; equipment & supplies, 275f, j; in France, 240t; in Illinois, 230t; in Italy, 242r; in U. S., 241g, 282w; libraries, 306d; military, 252q, 289c; planning, 231c; psychiatric service, 275a; records, 275d; rural, 306f; Veterans Admin., 231a
 HUMIDITY, 280-1
 HUNTER, JOHN (1728-1793), 263t
 HYALURONIDASE, 314u
 HYDANTOINS, 222q
 HYDROCARBONS, 269p, 316s
 HYDROCELE, ther., 359u

- HYDROGEN, determ., 319u; sulfide, 269r
HYDROLECITHIN, 268-1
HYDRONEPHROSIS, compl. & seq., 228q
HYDROTHERAPY, 337o,v
HYDROTHORAX, 354r,s
HYDROXY ACIDS, 223q
HYGIENE AND SANITATION, international, 344v
HYPERTROPHY, unilateral, 343w
HYPNOTICS, tox., 250n, 287p
HYPOTHALAMUS, tum., 243a
HYSTERIA, etiol. & pathogen., 240t
ICHTHYOSIS, 288h; hered., 325e
IDIocy, mongolian, 279o
ILEOCECAL VALVE, 307s
IMIDAZOLES, 268c; eff., 314u; ther., 244t
IMMUNITY, 249r, 280g, 331s
IMPEDANCE, 267g
IMPETIGO, 251c
INDIANS, AMERICAN, 232t, 315h
INDICATORS, 299h
INDUSTRY AND OCCUPATIONS, 256m, 275r, s,t;
absenteeism, 262c; dis. & pois., 234o, 276a, 324t;
hyg., 284d, 336o, 339n; inj., 337h; med. & surg., 231r,
275t; nutrition in, 272e
INFANT WELFARE, 287k
INFANTS, 336u; dis., 253-1, 278s, 331n, 332k, 337j;
feeding, 251-1; mortal., 239m, 244k, 301r, 326k, 349j;
nutrition & nutritional disorders, 243k, 280r; prema-
ture, 239f, 325h
INFANTS, NEWBORN, dis., 239g, 241w, 286-1, 333v,
345g; inj., 285n
INFECTION, droplet, 300r, s; focal, 251a, 271e, 320t;
ther., 288j
INFLUENZA, etiol. & pathogen., 240p; immun., 287c
INFRA-RED RAYS, 269q, 291w, 292h, n; ther., 355j
INHALATION, apparatus, 241h; ther., 233v, 283p
INJECTIONS, hypodermic, 350i; intracutaneous, 290t;
intraspl., 331h; intravenous, 236b, 277k, 350f
INOSITOL, 349p
INSANITY, blood in, 229c; communicated, 261i; de-
lusional, 250c, 332n, 344b; puerperal, 279a
INSECTICIDES, 271u, 312a, 339q, 340e, f,g
INSECTS, 260-1; repellents, 345h
INSTRUMENTS, 263h, 267f, 310t, u, v, 343h, i, 346w
INSULIN, eff., 220f, 338o; tox., 227j
INSURANCE, 239p, q; sickness, 331s, 352j; social,
273n, 337v
INTELLIGENCE, 352a
INTESTINES, bacteriol., 259v; can., 333r, 338j; cysts,
348p; dis., 232j, 257o, 265f, 273c, 306j, 340t, 354a;
dilatation & distention, 285n; diverticula, 250o, 337c,
356-1; lavage, 337u; mucosa, 295v; obstruction,
241w, 252v, 264k, 339k; parasites, 311m, 338m;
pathol., 328s; perf., 241d; physiol., 219j, 220h, 282e;
stricture, 238f; surg., 330c, 338m, 359p; tum., 233g,
240d, 244h, 257-1, 265p; volvulus, 356m
INTUSSUSCEPTION, ther., 356j
IODINE AND IODINE COMPOUNDS, iodized oil, 287m;
radioactive, 227k
IRIDOCYCLITIS, exper., 245j
IRIS, inflamm., 284t, 335j
IRON, 292w; metab., 258m
ISOEUGENOL, 290q
ISOLEUCINE, 268i
ISOMORPHISM, 319i, w
ISOTOPES, 224b, 227k, 245e, 262o, p, 268b, s, 280j, 291v,
314o, 335p
JAUNDICE, catarrhal, 327u, 333h; diag., 277m, n; etiol.
& pathogen., 263m; hemolytic, 273d, 276a; in inf. &
child., 348s; of newborn, 324w
JAWS, cysts, 271k; dis., 321b, 332t; fractures, 241d,
288t, 353a; ossification, 263p; osteomyelitis, 270p, q,
294a; surg., 310t; tum., 270s
JETTING DEVICE, 343h
JEWS, 343r
JOINTS, dis., 267-1, 342h; pathol., 258f; pain, 239i; wds.
& inj., 355w
JURISPRUDENCE, MEDICAL, 321b, c, 324n; expert
testimony, 276g, i, j, 324m, p; psychiatry in, 324q, r,
344m; toxicology in, 324r, 324t; wds. & inj. in, 281p
KERATIN, 222e, 318t
KERATOSIS, 222e
KETONES, 223i, k, 224g
KIDNEYS, 342e; abnorm., 288h, 333t; blood supply,
277c; calculi, 358o; can., 308o; cysts, 353o; dis.,
234j, 278h, 328m, 335-1, 338v, 339b, 339c, 359o; em-
bryol., 254m; excis., 335n; extracts, 314q; function
tests, 328m; insufficiency, 285m, 286q; movable,
246i, 332q; pathol., 250p; physiol., 258u, 268f, g, 339d;
roent., 338v; tuberculosis, 282g, 286a; tum., 244h
KNEE, deform., 309u; dis., 309m, n, 331r; roent., 306k
KNIFE, 309t
KYMOGRAPHY, 305i
LABOR, compl., 244m, 247w, 288-1; conduct of, 228c,
332g; drugs in, 283q, 326o, q; forceps in, 273q, 310t;
premature, 288-1; presentation, 310f, 326n
LABORATORIES, 291i; apparatus, 257r, 261b, 266w, 267f,
297f, 298d, 314a, 319t
LACRIMAL ORGANS, 335a; surg., 345s
LACTOGLOBULIN, 268i
LACTONES, 223o
LAMBLIASIS, 337i; diag., 286h
LAMPBLACK, 319d
LANOSTEROL, 269p
LARYNGOLOGY, 282h
LARYNX, 320r; abnorm., 258u; can., 237v, 263k; cysts,
294c; dis., 251q, 346n; stricture, 346u; tum., 280t,
346n
LEAD, tox., 278d
LEARNING, 261q
LEAVES, 355-1
LEGS, wds. & inj., 353p
LEISHMANIASIS, 226g, 232g, 282-1; in inf. & child.,
232a
LENS, CRYSTALLINE, pathol., 258f
LENSES, 293c, e
LEPROSY, 232e, 234i; classification, 271q, 357i; compl.
& seq., 232g; epidemiol. & statist., 232s; hist.,
232p, t; immun., 232r; in Burma, 232t; ther., 232q,
237f, 311j
LEMONS, 349s
LEUKEMIA, 257q; aleukemic, 230c; blood in, 353d;
compl. & seq., 257g; diag., 239g, 335t; lymphatic,
259g, 296a, 334v; monocytic, 229d, 327e; myelogenous,
229e, n, p, 243i, 245b, 304r, 329r, 333g, i; ther., 230f,
239j, 280f, 282n, 291s, 347g
LEUKOCYTES, 229s, 348e; count, 232i, 239i, 243i, 330v,
251h, 352p
LEVOARTERENOL, 291r
LEVULOSE, 269n
LIEBMAN-SACKS DISEASE, 237e, 331j
LIBRARIES, MEDICAL, 282a, 289-1, 308d, m
LICENSURE, MEDICAL, 239m
LIFE, duration, 277a
LIGAMENTS, lumbal, 305w
LIGHT, 291k, 318i, 341j; eff., 258f; injurious eff., 315f,
345w; measurement, 293o
LIGHTING, 217r
LIGHTNING, 291-1, 312w
LIPASE, 221u, 341p
LIPOIDS, 268-1, r; metab., 298e
LIPS, tum., 288-1
LIQUIDS, 258i
LITERATURE, medical, 240u, 249-1
LITHOPEDION, 353c
LIVER, 218n, 268h, 298o, 313r; abscess, 295u; anat. &
histol., 217f; blood supply, 277c; calculi, 243q; can.,
243c; cirrhosis, 243i, 278u, 333h; dis., 234g, 238f, h,
241-1, 245h, 246b, 255f, 259-1, m, 277r, 28f, 330b, 337v,
339; echinococcosis, 233-1, 307i; enzymes, 268j,

- 313q, 314c, 318-1; fats & lipoids, 219d; function tests, 266d, 277-1, m, n; hypertrophy, 273d, 286j; pathol., 258a, 265u, 314s, 315m, 324w, 328d, 349q; physiol., 298f, 315s; tum., 264p, 265o, 316s
- LIVESTOCK, feeds & feeding, 324h**
- LUCIFERASE, 350k**
- LUNGS, abnorm., 262-1; abscess, 265-1, 279c, 288k, 294m, 321k; anat. & histol., 313j; blood supply, 217e; can., 233j, 237c, 242s, 243e, 245u, 247c, 248f, g, 263t, 265m, 307a, 330g, 331c, 331d; cysts, 312m; dis., 262k, 283u, 306t, 332k, 334d, 337a, 354-1; echinococcosis, 307s; infarction, 244f; mycosis, 312h; pathol., 243h, 251n, 263b, 327r; roent., 349r, 359d; suppuration, 334s; tum., 248e, 262n, 265p, v, 365a**
- LUPUS, erythematosus, 266f, 277u**
- LYMPH NODES, can., 244g, 304m, 306a, 307p, 331d, 355s; dis., 296a, 354j, 358t; pathol., 217g; syphilis, 315b; tuberculosis, 229d, 358u; tum., 244h, 265t**
- LYMPHATIC SYSTEM, surg., 357a**
- LYMPHOCYTES, count, 348j**
- LYMPHOGANGLIOMA VENEREUM, 226r**
- LYMPHOID TISSUE, 313t**
- LYSINS, 222q**
- MACLAGAN (THYMOL) TURBIDITY TEST, 266d, 277-1**
- MAGNESIUM, determ., 319r; eff., 269h**
- MALANIN, 268e**
- MALARIA, 232c, 1, 289g, v, 340j, 357j; avian, 328b, c, 342t; blood in, 231v, 232i; immun., 357n; plasmodium, 231v, 232i, 301j, 314w, 340k, 358-1; prev. & control, 357j; spleen in, 264f; quartan, 357o; tertian, 277s, 279b, 357q; ther., 224f, g, h, p, 301h, j, 340j, k, 358k; therapeutic, 250c**
- MALT, 251-1**
- MAN, creation, 344i**
- MANNICH REACTION, 224n**
- MANOMETRY, 267f**
- MANSON, SIR PATRICK, (1844-1922), 312b**
- MARINE BIOLOGY, 217f, 220o, 350**
- MARINE BIOLOGY, 217f, 220o, 350o**
- MARINE GROWTHS, 217r**
- MARRIAGE, 281g, 303r**
- MASTOID, pathol., 346u**
- MASTOIDITIS, 294d**
- MATERNITY, welfare, 272-1, 344v**
- MATTER, 248o**
- MAXILLARY SINUS, dis., 320j; embryol., 320j; syphilis, 294j**
- MEASLES, 253b; immun., 279o**
- MEDIASTINUM, cysts, 284j; echinococcosis, 353u; tum., 248e, 304s, 307m, 353u**
- MEDICINE, 237j, 251u, 331w, 339-1; hist., 230m, 242p, 249f, o, 338o, 353u, 358-1; in art & literature, 230o, 242p, 344i; in Brazil, 242v; in Canada, 249o; in Connecticut, 282h; in France, 338u; in French colonies, 331w; in India, 280p; in U. S., 230m, 251j; philosophy of, 249h, p, q; progress, 248w, 301-1, 347g; rural, 249r; soc. aspects, 281-1, 338n; state, 239v, 241u, 242b**
- MELANIN, 315h; pigmentation, 299i**
- MELENA, neonatorum, 288w**
- MENINGES, hemorrh., 283d, 290a, 310c; tuberculosis, 288s, 347k, 349h; tum., 247-1, 265p, 285i, 306m**
- MENINGITIS, 289g, 334k; diplococcic, 348j; etiol. & pathogen., 256r, 288k, 348o; influenzal, 349g; meningococcic, 278h; otogenous, 294w; pneumococcic, 349c; serous, 353a; staphylococcic, 232h; ther., 238m, 280q**
- MENSTRUATION, blood in, 326v; disorders, 326e, 359e**
- MENTAL DISEASES, 271p, 312n; blood in, 229c; compl. & seq., 238w; diag., 344g**
- MENTAL HYGIENE, clinics, 343o**
- MENTAL TESTS, 299p, q, u, v, 300a, c, d, f, 344k, 351h, i, j, o**
- MERCURY, mercuric chlorosulfide, 253v; spectrum analysis, 292o; tox., 349v**
- MESODERM AND MESODERMAL TISSUES, 247k**
- METABOLISM, 276s, 330h; determ., 242h, 291u; eff. of drugs on, 297n; endocrines & metab., 226r, 227-1; exper. studies, 217r, 280j; in inf. & child., 283h, 348c; nutrition & metab., 287f, 316b**
- METABOLITES, 218s**
- METALS, heavy, 319o**
- METEORS, 342p**
- METHADON, eff., 315f**
- METHIONINE, eff., 229f, 297q; metab., 316b**
- METHYL FORMAMIDE, 290i**
- METHYLAMINE, 224f; eff., 260q**
- METHYLAMINOHEPTANE, 235b**
- MICROCHEMISTRY, 319-1**
- MICRO-ORGANISMS, 219q, r, 324g, h, i**
- MICRORESPIROMETER, 261b, 266w**
- MICROSCOPY, 251f, 292k; electron, 350j; technic, 250r, 319o**
- MIGRAINE, ther., 291d, e**
- MILITARY MEDICINE, 253g, 289c, 1, 352f; dermatology, 226k; dis., 226d, 239a, 286h, 328g, h, 334n; neuro-psychiatry, 279q, 344j, o, q; ophthalmology, 345v; training, 352e; wds. & in j., 252p, 253i, 352e**
- MILK, enzymes, 269h; exam., 320b**
- MIND, body & mind, 254w, 343t**
- MITRAL VALVE, dis., 295j; insufficiency, 237s**
- MOLLUSKS, 217s**
- MONILIASIS, 359q**
- MONONUCLEOSIS, INFECTIOUS, compl. & seq., 277e, 330s**
- MOREAU, DR., 344i**
- MORMONS, 231p**
- MORPHINE, 222v; addiction, 338e**
- MOSQUITOES, 222r, 267d; eradication, 269m, 301c, e, 319b, 357r**
- MOTION SICKNESS, 252j, 343c**
- MOUTH, abscess, 320g; bacteriol., 328c; can., 270e, 306t, 320g; dis., 225h, m, 271h, 284v, 321b, 336t; exam., 270t; pathol., 257g; roent., 321f; surg., 224w, 320q; tum., 346-1; ulcers, 284t, 347h**
- MOVEMENTS, disorders, 336u**
- MOVING PICTURES, 306i, 353s**
- MUCOUS MEMBRANES, dis., 286p**
- MUSCLES, anat. & histol., 295-1; chem., 218d, 220k, i, 267d, 268h, k, 318j, 329g; contractions, 218d; innerv., 220-1; masseter, 310n; necrosis, 264j; physiol., 218d, 220k, 267d, 298t, 315u**
- MUSEUMS, 286w**
- MYASTHENIA, gravis, 246p, 279i**
- MYCETOMA, ther., 282v**
- MYCOSIS, cutaneous, 229v; fungoides, 257p**
- MYELITIS, diag., 238t**
- MYIASIS, intestinal, 327t; vulvar, 247d**
- MYL (Delousing Agent), 300t**
- MYOCARDITIS, 257n, 345e; pathol., 295k**
- MYOCLONUS, 344d**
- MYOSITIS, ossificans, 243v; purulenta, 243v**
- NASOPHARYNX, can., 307c; dis., 278o; tum., 236n, 294h, 295d, e, 346o**
- NAVAL MEDICINE, 278k; equipment & supplies, 340q; neuropsychiatry, 340q; training, 340o**
- NBIN (Delousing Agent), 300t**
- NECK, can., 279s; edema, 241d; surg., 346w; tum., 304s, 310j**
- NECROBIOSIS, 341k**
- NEGROES, 238c**
- NEPHRITIS, compl. & seq., 334n, 335d; in inf. & child., 287i; metab. in, 334n; ther., 248m, 315n**
- NERIIFOLINE, 290r**
- NERIIN, 290r**
- NERVES, intercostal, 264-1; motor, 217d, 298t; obturator, 309m; optic, 255q; peripheral, 252d, 299b; phrenic, 298h, 306f, 337-1; roots, 220v, 243s, 330t; sensory,**

- 261q,309-l; spinal,220v; vagus,235e,237m,244v,w,
264-l,274g,278j; vasomotor,290h; vestibular,219n
NERVOUS SYSTEM, 269g; anat. & histol.,247a,295-l,
298-l,350j; can.,282o; dis.,246c,250k,259n,277e,
306j,329n; eff. of drugs on,269g,279o,315o,350-l,n;
embryol.,266o,360u; pathol.,274m; physiol.,298-l,
305u; tum.,294g; wds. & inj.,249d
NERVOUS SYSTEM, SYMPATHETIC, 284v; dis.,232n;
eff. of drugs on,287j; pathol.,295a
NEURALGIA, ther.,274d,331v; trigeminal,242i
NEURITIS, etiol. & pathogen.,290c,340t; multiple,
250a,b,276b,283b; optic,245d,294t,335b
NEURODERMATITIS, 323b
NEUROFIBROMATOSIS, 233g
NEURONS, 217d,260m,295-l
NEUROSES AND PSYCHONEUROSES, 329c; indust. &
traumat.,293s
NEUTRONS, 291i; eff.,263g
NEW YORK STATE NUTRITION COMMITTEE, 272i
NICOTINIC ACID, 348b
NITRATES, 222o; determ.,319k
NITRIC OXIDE, 223t
NITRO COMPOUNDS, 223r
NITROGEN, 267q,293j; determ.,226f,319p; radio-
active,268b
NITROGEN TRICHLORIDE, tox.,315b,c
NOMENCLATURE, 230o
NOSE, cysts,294t; deform.,256u; hemorrh.,256t;
polypi,242a,346g,347a; septum,237n,256q; surg.,
257a,310s,t; tum.,257f,294e,g
NOVAK TEST, 237i
NUCLEINS,~248s,260t,268c,290v,298o,318e
NUCLEOTIDASE, 342s
NURSES AND NURSING, 274h,282b,308j,k,l,345b,c,e,
g,h,i,k; educ.,231c,308i,345a,d,e
NUTRITION, 249a,251r,272b,d,f,g,h,i,j,m,p,279v,
301q,315e,323-l,u,v,324c,336o,339v; disorders,
260c; exper. studies,251r,324f
NYSTAGMUS, 293s,298a,346i
OBESITY, 235g,285r,324j; heart in,305e; psychol.
aspects,255j,280j
OBSTETRICS, 330-l; diag. in,228d; progress,239s,
286-l; teaching,326d
OFFICE OF SCIENTIFIC RESEARCH AND DEVELOP-
MENT, COUNCIL ON MEDICAL RESEARCH, 340n
OGGNO-KNAUS METHOD, 227r
OIL, 319j; marine,343e
OINTMENTS, 343g,350f
OLD AGE, 256m,272k,l,298m,343-l,345i; dis.,234n,
249t,336d,338h; pathol.,217g,345p
OLEFINS, 269r
OLIVE OIL, 319-l
OLIVES, 318g
OMENTUM, surg.,287i
OPHTHALMIA, neonatorum, 228p,345q
OPHTHALMOLOGY, 284t,332g; hist.,231g; ther. in,
248b
OPTICS, 292h,i,k,r,v,293j,k,341j
OPTOMETRY, progress,256k
ORBIT, mucocoele,346o
ORANGES, 349s
ORGANS, extracts,221s,314r,350c
OROYA FEVER, 311j
ORTHOPEDICS, 226b,309c; apparatus,264r,s,309v;
in Gt. Britain,247g
ORTHOPTICS, 255u
OSMOSIS AND PERMEABILITY, cell permeability,
269g,305t
OSPEDALE MAGGIORE, Milan, Italy,231e,242r
OSRD (OFFICE OF SCIENTIFIC RESEARCH AND
DEVELOPMENT), 340n
OSTEITIS, diag.,306h; etiol. & pathogen.,348m
OSTEOARTHRITIS, 245a
OSTEOCHONDritis, 305m
OSTEOMALACIA, 353w
OSTEOMYELITIS, etiol. & pathogen.,284f,288o; ther.,
238i,246m,288o
OSTEOPERIOSTITIS, diag.,306g
OSTEOSELOSIS, 306a
OTITIS MEDIA, ther.,279-l
OTORHINOLARYNGOLOGY, 239u,282h,284u; teaching,
295c; ther. in,248a,294-l
OTOSCLEROSIS, 244k; ther.,336w
OUTPATIENT DEPARTMENT, 275c
Ovary, blood supply,314k,316d; can.,239b,244g,304o,
325u; dis.,328b; hormones,227b,283q,342v,360r,t;
innerv.,279p; physiol.,227-l; transplantation,325u;
tum.,244e,273j,278o,304o,p,325-l,326a
OXALATES, 318t
OXAZOLIDINEDIONES, tox.,236e
OXIDASE AND PEROXIDASE, 260q,269k,318g
OXIDATION-REDUCTION, 218g,269k
OXIDES, 267q
OXYGEN, 293f; consumption,261b,266w,350n; defic-
iency,252j,267c,342q,355p; eff.,314k,352b; liquid,
226d; pressure,328b; ther.,233v,243n,252j,283p,
344w
OXYHEMOGRAPH, 257k
PAIN, 249d,270c,329c; ther.,320g
PALATE, hemorrh.,331o
PALATATION, 221h
PAMAQUINE NAPHTHOATE, eff.,313w
PANCREAS, abnorm.,353i; calculi,264n; can.,281b;
cysts,338k; pathol.,313g,349g; surg.,219i,285d,e;
tuberculosis,284j; tum.,264n,305g,329q
PANCREATITIS, etiol. & pathogen.,274c
PANNICULITIS, 278c,332w
PARAFINICOLAOU STAIN, 354m
PARACELUS (THEOPHRASTUS BOMBASTUS VON
HOHENHEIM, 1493-1541), 230m,n
PARALYSIS, cerebral,231b,255b; facial,241f,344s;
flaccid,348w; glossopharyngeal,243b; hypoglossal,
243b
PARALYSIS, GENERAL, 344p; ther.,250c
PARAMECIN, 351f
PARAMECIUM, 217h
PARAMETRITIS, 304c
PARASITES, 220o,311n,341t
PARATHYROID, can.,246p,274h; dis.,240i,246p;
tum.,258g
PARATYPHOID, diag.,311d
PARIETAL BONE, 262k
PARINSONISM, 267j
PAROTITIS, 326b; blood in,229s; compl. & seq.,
279e,288b; epidemiol. & statist.,232b
PATELLA, disloc.,250h
PATHOLOGY, 257p
PEDIATRICS, hist.,348m; teaching,260g; ther. in,
248c,278s
PEDICULOSIS, ther.,300t
PELLAGRA, compl. & seq.,282t; etiol. & pathogen.,
330v
PELVIS, anat. & hist.,273t; can.,306s; tum.,326i,
354m
PEMIPHIGUS, ther.,353c; vegetans,321p
PENICILLIN, 317f,318o,326g,360m; admin. & dos.,
253k,284u,329m,350h; eff.,218r,291u; prod.,223h,
340-l,m; ther.,240b,247v,w,248a,b,c,252b,294-l,
335a; tox.,232h,254e,294i,331h,332c
PENIS, can.,279i; dis.,287-l,338-l; surg.,307q
PEPERMINT, 296i
PEPSIN, 220b
PEPTIC ULCER, 236r,263d,s,273b,333s,334t; diag.,
238i,263c,329j; epidemiol. & statist.,333j; etiol.
& pathogen.,263e; perf.,305g,337a; postop.,273g,
332r; surgical ther.,233e,241s,244v,w,273d; ther.,
246e,263c,287j,289r,329j,355c
PEPTIDES, sulfuration,254a
PELTONE, tox.,314d
PERCUSSION, pulmonary,287w

- PERFUME, 296h
 PERIARTERITIS, nodosa, 278c, 335v
 PERIARTHRITIS, 245-1, 263j
 PERICARDITIS, with effusion, 249s, 306v
 PERICARDIUM, tuberculosis, 235h, 242f
 PERINEUM, surg., 356n
 PERIODATES, 269k
 PERIODONTITIS, 270h; diag., 225g; metab. in, 270f
 PERTONEUM, tum., 245i, 316v
 PERTONITIS, 239i; etiol. & pathogen., 278d
 PERSONALITY, 231o, 351p; psychopathic, 300g; tests, 255m, 300b, h, i, k, n, 343o
 PESSARY, 228r
 PETROLATUM, 296i
 PHAGOCYTES AND PHAGOCYTOSIS, 350s
 PHARMACOPŒIA, 350g
 PHARMACY, 296n, 297i; military, 296-1; naval, 296m
 PHARYNX, bacteriol., 251q; dis., 251q; diverticula, 306m; hematoma, 256v; pathol., 257g; roent., 306d; surg., 294s; tum., 294e, 305v; ulcers, 347h
 PHENANTHRENE DERIVATIVES, 222v, 224p; synthesis, 223a
 PHENANTHROLINE DERIVATIVES, 224i
 PHENOLS, 223i, 260p; eff., 341m
 PHENYLALANINE, 268e
 PHENYLENEDIAMINE, tox., 276a
 PHLEBOTOMUS, 311f
 PHLORHIZIN, eff., 298u
 PHOBIA, 238n
 PHOSPHATASE, 283c, 318-1
 PHOSPHORUS AND PHOSPHORUS COMPOUNDS, 223v, 267u, 342a; deficiency, 222o; determ., 319q; eff., 235a; metab., 228-1, 328e; radioactive, 245e, 268s, 291v, 306a
 PHOTOGRAPHY, infrared, 353m; medical, 224v, 353m, n, u
 PHYSALIA PHYSALIS L., 220p
 PHYSICAL EDUCATION AND TRAINING, 302t, 351w
 PHYSICAL EXAMINATION, 277v
 PHYSICAL MEDICINE, 275m
 PHYSICIANS, 239-1, 262b; rural, 283a
 PHYSICS, 253o, 345c
 PHYSIOLOGY, 252k, 276s; research, 248j
 PICA, 236g
 PICRYL BROMIDE, 319w
 PICRYL CHLORIDE, 319w
 PIGMENTATION, 255u, 292t; cutaneous, 222p
 PIPERAZINES, ther., 224g
 PIPERIDINE AND PIPERIDINE COMPOUNDS, 224q, r, s, t
 PITUITARY BODY, 258t; anat. & histol., 313d, i; dis., 331e; innerv., 249c; irradiation, 254o; physiol., 226r, 227d, i; secretion, 350q
 PITUITARY PREPARATIONS, eff., 305q, 316d; ther., 325p
 PLACENTA, abscess, 228t; praevia, 227s, 326e, p; roent., 262m; tum., 228v
 PLAGUE, 328t; ther., 240s
 PLANTS, 312a, 349n; dis., 217n; physiol., 342f
 PLASTICS, 252e, 270t, 291j, 318v, 319c
 PLEURA, calcification, 307h; can., 243c; dis., 332k; pathol., 243h; tuberculosis, 289o
 PLEURISY, fibrinous, 337d; ther., 220c; with effusion, 265i
 PLUTONIUM, 299-1; determ., 269q
 PNEUMOCOCCUS, 232-1, 275q, v, 276e, f, g, i, j, 312j; compl. & seq., 275u; diag., 276c, d, j; etiol. & pathogen., 295j; prev., 276d
 PNEUMONIA, 258e; compl. & seq., 289e, 312k; diag., 354-1; etiol. & pathogen., 288p; pathol., 347t; ther., 258w
 PNEUMOPERITONEUM, 281e, 334t, 358t
 PNEUMOTHORAX, 283c
 PNEUMOTHORAX, ARTIFICIAL, 265j, k; apparatus, 231h; compl. & seq., 247j; hist., 231f
 POISONS AND POISONING, classification, 324s; eff., 324o; metallic, 242v
 POLAROGRAPHY, 223e
 POLIOMYELITIS, 244d, 340s; compl. & seq., 255b; diag., 243w, 314t; ther., 250f
 POLLEN, 234u
 POLYCYTHEMIA, 333m; ther., 244e
 POLYMERS, 253q, 319c
 POLYULATION, 231n, 341c, e, f, 352-1
 PORPHYRIN AND PORPHYRIN COMPOUNDS, 253w; determ., 297u; metab., 235n
 POSTURE, 245e, 360u
 POTASSIUM, 220m; bromate, 348k
 POTATOES, 222m, 323o
 PRECIPITIN, reaction, 222r
 PREGNANCY, 316d, 326j; blood in, 325k; can. & pregnancy, 304c, g, j; compl., 228n, 256g, 323p, 326a, 330k; diag., 226u, 314k, 332m; diet in, 272-1, 345-1; duration, 325h, 326k; ectopic, 227s, 237v, 325m; eff. of radiation, 254o; heart in, 250s, 288-1, 325o; hemorrh., 287f; hygiene, 273o; kidneys in, 228q, 326p, s; liver in, 266d, 273k; metab. in, 228-1; roent., 263j; toxemia, 245k, 325v, w; tum. complicating, 326c
 PRESCRIPTIONS AND PRESCRIBING, 296-1, 297f
 PRESSURE, 297m, q, 345c
 PRISMS, 293d, 1, n
 PROGNOSIS, 295c
 PROPYLENE GLYCOL, 296r; in diet, 350b
 PROSTATE, can., 273u, 297p, 330j; dis., 335t; hypertrophy, 247i, 359k; surg., 242g, 285v; tum., 285w
 PROSTATECTOMY, suprapubic, 359t; technic, 245a, 248k
 PROSTHESES, 252b
 PROSTITUTION, 344i
 PROTEINS, 218e, 254a, s, 268j, n, 271u, 274f, 297e, 298p, 313s, 318i, 323v, 329j; in diet, 219k, 222s, t, 318m; metab., 289p
 PROTHROMBIN, 233n; eff., 256t
 PRURIGO, ther., 243c
 PRURITUS, ther., 329k
 PSEUDOLEUKEMIA, 296a
 PSEUDOTUMORS, 237o
 PSITTACOSIS, compl. & seq., 286p
 PSORIASIS, 357m; etiol. & pathogen., 245k
 PSYCHIATRY, 254v, 344a; diag. in, 255k; philosophy of, 255a; progress, 255n; social, 344j; teaching, 255j
 PSYCHOANALYSIS, 238p, 261h, 281o, 344a, f, h, j, 351s, t
 PSYCHOLOGY, 255-1, 261k, q, 300f, 344h, 351o, s; comparative, 351a, r; exper., 261-1, m, n, p, r, 300m, s; individual, 261i; med. & psychol., 263t, 343q; social, 300f, 343r, 351m, q
 PSYCHOTHERAPY, 236m, 249v, 334j; research, 343n
 PTERINS, 254n
 PTERYGIUM, hemorrh., 256g
 PUBLIC HEALTH, 249m, n, 272m, 282p, 303b, 352h, i; educ., 352j; in Connecticut, 282j; in New York, 272h, i, j; in Pennsylvania, 272i; in U. S., 272g; rural, 336p
 PUERPERAL INFECTION, etiol. & pathogen., 228i; ther., 325t
 PUERPERIUM, 316d; compl., 326b, 334k; hemorrh., 325n
 PUPILS, diagnostic significance, 250g; dilatation & contraction, 315p
 PURPURA, 285m, 349i; haemorrhagica, 234k, 335w; in inf. & child, 259d; Schönlein-Henoch, 252v
 PYELOCYSTITIS, 257n
 PYLORUS, 233k; hypertrophy & stenosis, 233h, 273g, w, 279g, 306e
 PYODERMA, 321k, l, m, n, o, p, s
 PYORRHEA ALVEOLARIS, in animals, 321f; ther., 225m
 PYRETHRUM, 222v
 PYRIBENZAMINE, eff., 233m, 314u, 338e
 PYRIDINE AND PYRIDINE COMPOUNDS, tox., 297n

- eff.,
5b;
253w;
preg-
330c;
ura-
of
morrh.
liver
toxemia
71
per-
245a,
206p,
n;
00m,s;
social,
343a
h,l;
rk,
rural;
281;
rrh.,
on &
5w; in
373g,
er.,
297n
- PYRIDONES, 290c
 PYRIMIDINES, 223m
 PYROMETERS AND PYROMETRY, 293n
 QUANTOMETER, 293h
 QUINACRINE, eff., 313w
 QUINALDINE DERIVATIVES, 269r, 341k
 QUININE, 313w; tox., 283v
 QUINOLINE AND QUINOLINE DERIVATIVES, 224i, o
 QUINONE ACETATES, 268o
 RABIES, 289f; immun. & vaccine ther., 303f
 RADIATIONS, 291n, o, 316g, 355-l; eff., 263-1, 292s, 334p; injurious eff., 306b
 RADIOACTIVITY, 224b, 227h, k, 245e, 261d, 262o, p, 267p, 268b, s, 280j, 291i, v, 299-1, 305-1, 314o, 335p; injurious eff., 263g; ther., 262o, p, 305-1, 335p
 RADIOLOGY, 249n, 263f, 306i; hist., 263f, 276c
 RADIOTHERAPY, 262p, u, 355h, i; apparatus, 300c, dos., 305a; injurious eff., 229f, 304v
 RADIUM, 316-l; injurious eff., 305c; ther., 304w, 355g, h
 RAGWEED, 234s
 RADIUS, surg., 309d
 RAPE (Botany), tox., 312v
 RECRUITS, 340k; cardiovascular disabilities, 286h
 RECTUM, can., 233-1, 274e, 356m, s; dis., 228v; pathol., 273c; surg., 264d, 278i, 310b, d; tum., 233d, i; wds. & inj., 304v, 305c
 REFLECTORS, 293c
 REFLEX, aural, 346i; pupillary, 257d, 298q, 299c
 REFRIGERATION, 272e
 REGENERATION, 266t, 360v
 REITER'S DISEASE, 334j
 RELAPSING FEVER, epidemiol. & statist., 232m
 RELAXIN, 316d
 REPRINTS, 253s
 REPRODUCTION, 226q, 351d; diet in relation to, 313p
 RESEARCH, 253r, 296v, 291i, 301v, 345d; in U. S., 342o; medical, 262o, 340n
 RESINS, acrylic, 225p
 RESPIRATION, Cheyne-Stokes, 317r, 336s; hyperpnea, 330f; physiol., 217r, 219m, 247m, 251n, 260v, 266t, v, 267a, 276j, 287h, 298c, 350t
 RESPIRATORY TRACT, 340c; anat. & histol., 218b; dis., 258s, 284d, 288u, 301g, h, 328g, h, i
 REST, 276s
 RESTAURANTS, 352k
 RETICULOENDOTHELIAL SYSTEM, dis., 327e; anat. & histol., 247k; in immun., 230a, 258h; physiol., 247k
 RETINA, 268p; blood supply, 255q; hemorrh., 255r, 256b, 294t; pathol., 334v; physiol., 297-1, 298b
 RETINITIS, 256i; albuminuric, 335n; etiol. & pathogen., 345w
 RHAMNOSIDES, 290q
 RHEUMATIC FEVER, cardiac compl., 246a, h, 277d; prev., 283n; ther., 243-1
 RHEUMATISM, 238p, 244-1, 247e, 320j; bibliography, 278b; compl. & seq., 285u; diag., 245o; etiol. & pathogen., 267-1; prev., 267k; ther., 267k, 337s
 RHINITIS, atrophic, 293v
 RHINOSCLEROMA, ther., 246n
 RIBOFLAVIN, deficiency, 276o
 RICKETS, blood in, 229k
 RICKETTSIA, staining, 311h
 RICKETTSIAL DISEASES, 278e, 358g, j; immun., 301c; pathol., 295-1; ther., 334b
 RIETTI-GREPPi-MICHELi SYNDROME, 327c
 RINGWORM, epidemiol. & statist., 336f
 ROCKETS, 293-1
 RODENTS, extermination, 340h
 ROENTGEN RAYS, apparatus, 252i, 305j, s, 332e, 340p; diag., 305d; eff., 261c, 268b, 314n, 318e, 319-1, 353d, 354c, 355e; injurious eff., 226e, 236c, 262v, 304a, 355f; technic, 263m, 354e, q, 359g
 ROENTGENOGRAMS, 276d, 353-1
 ROENTGENOLOGY, hist., 287s
 ROENTGENOTHERAPY, dosage, 304b, 354v, 355e
 ROOSEVELT, FRANKLIN DELANO (1882-1945) 351q
 RORSCHACH TEST, 255m, 343o, 344k
 ROSEGGER REACTION, 243w
 ROYAL NAVAL MEDICAL SCHOOL, 340o
 RUBELLA, 253b, 256g
 RUBIDIUM, eff., 341o
 SACCHARASE, 221o
 SACCHARIDES, 269n, 342b; staining, 318n
 SACCHARIN, adulteration, 296t
 SACROILLIAC JOINT, dis., 276p, 337t; surg., 310e
 SAINT COSMAS, 242p
 SAINT DAMIAN, 242p
 SALICYL COMPOUNDS, acetylsalicylic acid, 256p, 276p; salicylaldehyde, 319o; sodium salicylate, 220c, 223m, 317t; tox., 336j
 SALIVARY GLANDS, anat. & histol., 217i
 SALMONELLA, culture, 266g; infections, 266g, 328s; supester, 243b, 309m, n
 SALTS, eff., 259g, 351b; metab., 283h; solutions, 342v
 SANDFLY FEVER, 232d
 SARCOIDOSIS, 282d, 323c; etiol. & pathogen., 256c
 SARCOMA, chondrosarcoma, 355v; lymphosarcoma, 230c, 244h, 296a, 338d, 346m; metastases, 265p; osteosarcoma, 306g, 337m; reticulosarcoma, 271p; spindle cell, 226e, 279w; ther., 266c, 317a, b
 SCAPHOID BONE, CARPAL, abnorm., 309d; fractures, 247-1, 337h
 SCAPHOID BONE, TARSAL, dis., 305o
 SCARLET FEVER, immun., 348g
 SCHISTOSOMA, 302g, h, i, j
 SCHISTOSOMIASIS, compl. & seq., 239h; diag., 289a, 302-1; epidemiol. & statist., 301u; exper., 301w, 302b, c, d, e, f, 356b, c; prev., 302k; ther., 235-1, 263b; trans., 300u, v, 301u, 311n, s
 SCHMIDT, BERNHARD, 263f
 SCHOOLS, 299q; absenteeism, 299o; diet in, 272m, a, o, 281k; medical service, 240c, 262b, 302v
 SCHÜLLER-CHRISTIAN SYNDROME, 259c
 SCIATICA, 249s, 253j; etiol. & pathogen., 281n
 SCIENCE, in Italy, 341s
 SCLERA, for. bod., 256h; tum., 345u
 SCLEROSIS, diag., 288-1; disseminated, 326a
 SCROTUM, gangrene, 310o
 SCURVY, prev., 323o
 SEBACEOUS GLANDS, physiol., 323f; tum., 226h
 SEBORRHEA, etiol. & pathogen., 243d; ther., 233r
 SELENIUM COMPOUNDS, metab., 268e
 SEMILUNAR CARTILAGES, anat. & histol., 313e, h; surg., 309t; wds. & inj., 247b
 SENSATION, disorders, 290b, c
 SEPTICEMIA, etiol. & pathogen., 259f, 294f
 SERODIAGNOSIS, 253c
 SERUM, immune, 314k
 SESAME, 342d
 SEX, 341v, 360o; characters, 299j, 351e; educ., 281g; intergrades, 299g, 351a; perversion, 241t, 302u, 344i; reversal, 341v
 SHIPS, Portuguese, 220p
 SHOCK, 252-1, 356d; metab. in, 252m; obstetric, 240p; surgical, 279j, 352e; ther., 289u; therapeutic, 283u, 289q; traumatic, 252-1
 SHOULDER, abnorm., 306f, 307p; dis., 245-1, 263j; disloc., 245t, 264f, 309r
 SIGHTS, 292i
 SIGMOID, can., 274e, 356m; surg., 264d, 310d; tum., 233d
 SILLIMAN, BENJAMIN (1779-1864), 353q
 SILVER, chloride, 318u
 SINUSES, NASAL, 257a; can., 338i; dis., 306w, 320j, 335j, 346r
 SKIN, can., 226e, 263m, 355a; dis., 226b, d, k, 238w, 245b, 248c, 320e, 337p; gangrene, 333o; permeability, 350r; physiol., 333b; regen., 310k; transplantation, 310-1,

- t; tuberculosis & tuberculids, 231j, 242m; tum., 271p; wds. & inj., 340d
- SLAUGHTERING AND SLAUGHTERHOUSES, 323q
- SLING, 309v
- SMALLPOX, vaccination, 239m, 252u, 331s; virus, 311-1
- SMELL, 242j
- SNAILS, 301w, 302a
- SNAKES, 268f, g; bites, 336r
- SOCIAL CONDITIONS, 351k
- SOCIAL SECURITY, 330p, 332c
- SOCIAL SERVICE, 275j, 316n, 343n
- SOCIETIES, MEDICAL, 249k; state, 282b
- SODIUM, bicarbonate, 219a, f; chloride, 342f; metab., 227d, 277j; radioactive, 227h, 261d, 262o, 276v, 314o
- SOIL, 217m, 319q; bacteriol., 222k, l
- SOLANACEAE, 296v
- SOLUTIONS, hypertonic, 261e
- SOU MEDICAL, 281r
- SOUNDS, 355k
- SPEARMINT, 296i
- SPECTROCHEMISTRY, 293h
- SPECTROGRAPHY, 293-1
- SPECTRUM ANALYSIS, 292h, o, q, 293a, f, h, i
- SPECULUM, 310s
- STEECH, defects, 255c, 345d, 351t
- STERMATOZOA, 351b; staining, 257v
- SPINICTER MUSCLES, anal, 356s
- SPHINGOMYELIN, 268m
- SPHINGOSINE, 268m
- SPINAL CANAL ROENTGENOGRAPHY, 306c
- SPINAL CORD, abnorm., 219s; embryol., 266-1; pathol., 274o; regen., 299b; roent., 250s; tum., 306m
- SPINAL PUNCTURE, 311k
- SPINE, abscess, 243s; arthritis, 240q, 263o, 267m, 354t; can., 244g, 265m; dis., 253j, 305m, 306a; intervertebral disks, 267m, 336m, 354n; ossification, 354b; syphilis, 281i; tum., 304t
- SPIROCHAETA, recurrentis, 311u, 341u
- SPIROCHETOSIS, 358o; icterohemorrhagic, 241n, 330r
- SPITZWEG, KARL (1806-1885), 297h
- SPLEEN, 219v, 268-1, m, 276n; hemorrh., 253h; physiol., 327-1, 333m, 350t; preparations, 219p; rupture, 264f; surg., 338-1; tum., 280w
- SPLENECTOMY, results, 236q, 333i
- SPLENOMEGALY, 229q, 330v
- SPLINTS, 308w, 309s
- SFRUE, 274-1, 358-1; diag., 329m
- STAINS AND STAINING, 296a; methods, 247a, 257u, 313-1, 354m
- STAPHYLOCOCCI, aureus, 243v; enzymes, 257v; infections, 236f, 327u; muscae, 261a
- STARCH, 342a
- STARVATION, 268j, 347r, t
- STATISTICS, 351-1
- STERILITY, 228p, 287v, 335q; etiol., 228k, 326m; ther., 239b, 323p, 326m, 339h
- STERILIZATION, surgical, 279n, 296e
- STERNUM, abnorm., 305k, 337c
- STEROIDS, 223c, 224m, 269d, 340i; eff., 227m; metab., 227i, 228v, 260a, b
- STILLBIRTHS, 301r
- STIMULATION AND STIMULI, 336f
- STOMACH, abscess, 308p; acidity, 233f, 274b; can., 230r, 233c, 272v, 279e, 307g, 356v; cardiospasm, 264e; dilatation & distention, 284q; dis., 332v; diverticula, 337c, 354a; hemorrh., 250i, 265q; lavage, 250i; pain, 237j; secretion, 233k; surg., 274b, 283j, 285b, c, 310c; tum., 244h, 279w, 314c, 316u
- STOMACH TUBE, 330d
- STOMATITIS, 242j
- STOMATOLOGY, 284v
- STRABISMUS, in inf. & child., 256d; ther., 256b, 292e
- STREPTOCOCCI, hemolytic, 327k, 328g, h; immun., 266e; infections, 259o
- STREPTOGENIN, 268d
- STREPTOLIN, 223g, u
- STREPTOMYCIN, 238u, 288f, 297b, 342q; ther., 240b, 277d, 337b
- STREPTOTHRICIN, 223u
- STRONTIUM, determ., 293g; radioactive, 299-1
- STRYCHNINE, 269s, t
- SUBMAXILLARY GLAND, anat. & histol., 220e; physiol., 220e
- SUCCINOXIDASE, 267d
- SUGARS, 349u; metab., 251-1, 299e
- SUGGESTION, 233u
- SUICIDE, 288q
- SULFANILAMIDOPYRIMIDINES, 223m
- SULFATES, determ., 319n
- SULFIDES, prod., 343f
- SULFONAMIDES, 313p; eff., 259v, 295t, 314g; ther., 247v, 266j; tox., 276c, 281n, 318h, 340t
- SULFUR, determ., 319g, v; eff., 290q
- SURGEONS, 249-1
- SURGERY, 247i, 252a, b, 307w, 308b, f; clinics, 249g; diag. in, 305d; hist., 339j; plastic, 249h, 252e; postop. care, 230v, 281e; postop. compl., 331n, 333o, 357d; teaching, 249g, 308i, 353s; technic, 310u
- SUTURES, 247g, 308q
- SWEAT, 226f
- SYCOSIS, 321r
- SYMPHYSIS PUBIS, anat. & histol., 360t
- SYNCOPE, 312u
- SYNOVIAL FLUID, 243r
- SYNOVIAL MEMBRANE, cysts, 264t
- SYPHILIDS, 321r, s
- SYPHILIS, 238n, 244g, 249q, 261u, 283w, 284f, 343t; bis-muth in, 321u, v, 322a, h, i, j, k, l; compl. & seq., 283g; diag., 285u, 315b, 360f; hist., 280k; immun., 322c; serodiag., 331u; ther., 238o, 241j, 247q, 271r, 280k, 285t, 315a, 321t, u, v, 322a, b, d, e, f, m, n, o, p, r, s, t, u, v, 337i, 360k, l
- SYRINGOMYELIA, 238n, 330k
- TAPEWORM, 267e
- TAPEWORM INFECTION, compl. & seq., 274p
- TEARS, 250t
- TEETH, 225q, 269w, 320g, r; abnorm., 270j; caries, 225a, 245p, 250g, 261v, 262b, 269w, 270-1, 291t, 320r; development, 225j, u, 243t, 270k, m, 320b, j, r; diet in relation to, 270g; dis., 270a, g, 271j, 320-1, 321b, c, 335j; enamel, 291t; exam., 231r; extraction, 225m, 270r, v, 276u; fractures, 243f; hemorrh., 320o; innerv., 270j, k; malocclusion, 225a; prosthesis, 224w, 225f, i, r, s, v, 270t, 271g, i, 289w, 320m, n, p, q, u, v; surg., 320-1; tum., 251a; wds. & inj., 320n
- TELEVISION, 275h
- TELLURIUM AND TELLURIUM COMPOUNDS, 349t
- TEMPERATURE, coefficient, 351c; eff., 299g, 310k, 342v
- TEMPERATURE, BODY, 228p
- TEMPORAL BONE, dis., 353o; roent., 354h
- TENDONS, abnorm., 309f
- TESTES, can., 237u; tum., 304p
- TETANUS, 263h; compl. & seq., 285p; immun., 278k; ther., 242t, 285-1, 348q; toxin, 254c; toxoid, 278k
- TETRALIN COMPOUNDS, tox., 275q
- THEBAINE, 224n
- THENYLENE, 285f
- THERAPEUTICS, 279a, 296t, 340c
- THEVETONE, 290r
- THIAMINE HYDROCHLORIDE, 218n, 220d
- THIOCARBONYL COMPOUNDS, 224j
- THIOCYANATES, ther., 237s, 330a
- THIONOL, 223e
- THIOUREA, 224o, 268k, 316t; eff., 227-1
- THORAX, 244f; blood supply, 274a; cysts, 239t; roent., 306u; surg., 246-1, 339i, 356h; tum., 279u; wds. & inj., 263i

THROMB
THROMB
THROMB
THROMB
gen., 3
261t
THYMOI
277-1
THYMUS
aratic
THYROID
functi
238f, 2
332b;
313g;
physi
THYROX
TICKS,
TIDES,
TINEA,
TINNIT
TISSUE,
356e;
227m
TONGUI
239k
TONSIL
TONSIL
tum.
TOOTH
TOXEM
TOXOP
TRACE
TRACH
346u
TRANS
TRAUM
TRICH
TRICH
TRICH
TRILL
TRIPL
TROMB
TROPIC
hist.
TRYPA
311v
TRYPS
TRYPT
TRYPT
TSETS
TUBEI
266f
TUBEI
in, 2
tion
258f
252f
& p
in, 3
chol
soli
me
301
cul
327
1, 3
TUBE
ar
282
247
239

- THROMBIN, eff., 222a, b, 298h
 THROMBOANGITIS, obliterans, 240m, 280v, 347u
 THROMBOPHLEBITIS, caval, 253e; ther., 310f
 THROMBOSIS, 329e; coronary, 244o; etiol. & pathogen., 327d; pulmonary, 317k; sinus, 294p; ther., 281t
 THYMOL TURBIDITY TEST (MACLAGAN), 266d, 277-1
 THYMUS, excis., 298o, p, 345g; physiol., 327-1; preparations, 219p
 THYROID, can., 307k; dis., 227w, 233q, 281u, 331e, 336i; function tests, 226o, 227a; hyperthyroidism, 226v, 238f, 240g, 245t, 247c, 253f, 263v, 275k, 328p, 331m, 332b; hypertrophy, 318t; hypothyroidism, 329o; physiol., 221u, 227k, 250v, 336i; preparations, 250v, 313g; surg., 317j, 331m; tum., 244h
 THYROXIN, ther., 221u
 TICKS, 348w
 TIDES, 217r
 TINEA, 226j
 TINNITUS, aurium, 256s
 TISSUE, 218w; chem., 218n, 227d, 274f, 329g, 342e, 356e; culture, 234t; extracts, 314a; respiration, 227m, 249a, 261b, 266w, 269e, 342f
 TONGUE, 278w; dis., 348b; edema, 241d; tuberculosis, 239k
 TONSILLECTOMY, hemorrhh. in, 256p; results, 259f
 TONSILS, 257d; anat. & hist., 203w; pathol., 347s; tum., 346m
 TOOTHACHE, 270r
 TOXEMIA, in inf. & child., 259t
 TOXOPLASMOSIS, 282p
 TRACERS, radioactive, 280j, 302n
 TRACHEA, 320r; can., 257g; dis., 251q; stricture, 346u; tuberculosis, 312f; tum., 250w
 TRANSPLANTATION, 309c
 TRAUMA, 222s, t, 238m, 258o, 324p
 TRICHLOROETHYLENE, tox., 276b
 TRICHOMONAS, 358a
 TRICHOMONIASIS, vaginal, 227v, 273-1
 TRICHINOSIS, compl. & seq., 241f
 TRILLIUM, 261b
 TRIPLETS, 360r
 TROMBIDIUM, 238d
 TROPICAL MEDICINE, 283i, 358f; dis., 238d, 251v; hist., 312b
 TRYPA NOSOMA, 328e, 350m, 358n
 TRYPA NOSOMIASIS, 357i; in animals, 328d; ther., 311v
 TRYPSIN, 318m; eff., 268u
 TRYPTAMINE, 223r
 TRYPTOPHAN, 313u; metab., 268a
 TSETSE FLY, 311p
 TUBERCLE BACILLI, 358t; chem., 292t; culture, 266h; toxin, 222h
 TUBERCULIN, 222h, 236u
 TUBERCULOSIS, 249m, 312n; allergy in, 333k; blood in, 230j, 326v, 358r, 359h; Calmette-Guerin immunization, 282j, 285k, 302s, 348e, 359c; compl. & seq., 246u, 258n, 344r, 359e; diag., 240j; econ. & soc. aspects, 252q, 312q; epidemiol. & statist., 312r, 329v; etiol. & pathogen., 359b; exper., 254e, 258-1, o, 311f; heart in, 312h; hist., 231h, 265f; immun., 359h; in inf. & child., 255g, 312i; indust. & traumat., 358s; in soldiers & veterans, 253f; mental aspects, 255g; metab. in, 231k; military, 221j, 236o, 249i; mortal., 301o, 303c; osteoarthritis, 242n; pregnancy & tuberculosis, 282g, 288-1; prev. & control, 302p, 312n, 327v, 340r; reinfection, 263c; ther., 231i, 279d, 285g, 1, 312-1, p, 314m, 326h, 358v
 TUBERCULOSIS, PULMONARY, 305i, 312h, 329b; artif. pneumothorax in, 231f, 241h, f, 247n, o, 265e, j, 282t, 359g; cavitation in, 250o, 251g; compl. & seq., 247c; diag., 239d, 241v, 242d; etiol. & pathogen., 231h, 239o, 358g; in inf. & child., 255h; pathol., 358u; roent., 265g, 339t, 337a; surgical ther., 239t, 242n, 265e, h, 312f, h; ther., 235m, 265e, 340r
 TULAREMIA, 281f; antiserum, 262f
 TUMORS, 330h; adenolymphoma, 226h, 280w; adenoma, 226h, 258g, 273a, 285w, 288j, 305g, 313k, 329q; angioma, 257-1, 281q, 304s, t, 306m, 310j, 346-1, 356a; astrocytoma, 333e; cells, 248w, 315-1, 316i; chloroma, 253e; cholesteatoma, 270s; chondroma, 280t, 289i, 316s; chorioangioma, 228v; cystadenoma, 264n; dermoid, 244e, 284j, 294t; diag., 245m; embryoma, 294r, 316k; epidemiol. & statist., 316p; etiol. & pathogen., 303v; exper., 315r, 316d; fibroadenoma, 265o; fibroma, 256w, 294h, 295d, e, 305t; fibromyoma, 233g; fibromyxoxanthoma, 307m; giant cell, 288a; glioma, 243a, 257f, 344c; hamartoma, 264p; in animals, 342-1; in inf. & child., 304t, 348c; lipoma, 240d; lymphoblastoma, 354j; lymphoma, 239j, 280f; mesodermal, 246s; mesothelioma, 245j; metastases, 256h, 258g, 282n, 304s, 334f; mixed, 246e, 247f; multiple, 305t; myeloma, 229t, 335d; neurinoma, 346n; neuroblastoma, 257f; osteoma, 295a; papilloma, 316j, 326c; pathol., 257r; perithelioma, 265o; plasmoma, 346o; polyp, 233-1, 263f, 354c, 356m; pseudoglioma, 256h; reticuloendothelioma, 265t; seminoma, 304p, 326a; teratoma, 304n; ther., 245s; villoma, 233d
 TWINS, 227s, 245f; abnorm. & deform., 325e
 TYNDALL PHENOMENON, 318u
 TYPHOID, compl. & seq., 237k, 284m, 348m; diag., 311d, f; immun., 258f; ther., 238m, 242u
 TYPHUS, antiserum, 291a; compl. & seq., 232n; diag., 258n, 311c, d, e, f, g; epidemiol. & statist., 358d, h, i, j; prev., 303e; trans., 311t
 TYROSINASE, 268e
 TYROTHRINIC, 349m
 ULCERS, 331i, 337-1; etiol. & pathogen., 310p, 357d; ther., 331c; tropical, 312c
 ULNA, fractures, 309q
 ULTRAVIOLET RAYS, eff., 328i; injurious eff., 297n, 304a, 355j
 UMBILICAL CORD, 343h
 UNDULANT FEVER, compl. & seq., 241-1; diag., 237g, 311d; epidemiol. & statist., 303p; ther., 241-1, 243n
 UNITED STATES PUBLIC HEALTH SERVICE, 296n
 URACHUS, abnorm., 238b
 URANIUM, fission, 291i
 UREA, 224d, 268t, 269j, 342c; synthesis, 297q
 UREMIA, 288m; etiol. & pathogen., 347-1
 URETERS, abnorm., 359t; blood supply, 273v; calculi, 286a; can., 265t; catheterization, 242e; rupture, 358g; surg., 273v, 314g, 359p, q
 URETHRA, calculi, 280u; can., 355a; diverticula, 359s, t; inflamm., 339e, g
 URIC ACID, 350o
 URINARY TRACT, calculi, 268f, g, 289u; dis., 247w, 338v, 339c; infections, 360a, b; roent., 338v; surg., 359m
 URINATION, disorders, 238b, 278p; incontinence, 284i
 URINE, alkapton, 297v; amino acids, 314a; calcium, 298n; chlorides, 221r; magnesium, 298n; nitrogen, 298r; phenylpyruvic acid, 325h; phosphorus, 339d; quinone acetates, 268o; relaxin, 316d; sodium, 277w; steroids, 268v, 269a, b; sugar, 297e
 UREASE, eff., 315-1
 UROBILINOGEN, determ., 257r, s
 UROIC ACID, 315t; etiol. & pathogen., 344r
 UTERUS, 273q; abnorm., 236e, 245f, 328h; adnexa, 227u, 326u; can., 239b, 240a, 258c, 262r, 273c, 282e, f, 301p, 304c, d, e, f, g, h, i, j, r, v, 305a, c, 325o, q, r, 332-1, 354m; cervix, 228i, 244m; curettage, 268m; displacements, 226r; fibroma, 256g, 326t; fibromyoma, 262s, hemorrhh., 235d, 236s, 273r, 284a, 287d, e, f, g, 304u, 325p, 326t, 335r; perf., 286m; physiol., 315u, 326g; prolapse, 325r, 326c; roent., 228h; tum., 287f, 316j, 326c, 334f

- VAGINA, abnorm., 228s; bacteriol., 219f, g, h, 227v, 228a; secretion, 219g, 354m; tum., 246s, 334f
- VANILLIN AND VANILLIN COMPOUNDS, 223-1; determ., 319h
- VAS DEFERENS, anastomosis, 239b
- VASOMOTOR SYSTEM, eff. of drugs on, 314a, q, 342e; physiol., 314r
- VATER'S AMPULLA, tum., 284p
- VEGETABLES, 323j
- VEINS, blood supply, 298i; popliteal, 264t
- VENEREAL DISEASES, 251v, 360o; epidemiol. & statist., 339s; prev. & control, 360f, g, i, j, n, o; ther., 380m
- VERRUCA, ther., 234h, 236c, 240h, 282s
- VERTIGO, aural, 346j
- VETERANS, 334i; disabilities, 245h; rehabilitation, 264r, 308c, 352u
- VETERANS ADMINISTRATION (U. S.), 283s, 296n
- VIRUSES, 342-1; culture, 327p; dis., 217n, 334b; re-search, 253p
- VISCERA, transposition, 325e
- VISCOMETERS, 257r
- VISION, 252i; acuity, 256m, 345p; defective, 255t; physiol., 256e, 261e, 298b; tests, 240c, 255v, 285o
- VITAL CAPACITY, 234u
- VITAL STATISTICS, mortal., 239-1, 244k, 288e, 301t, 303s, 316g, 341c
- VITALLIUM, 310q
- VITAMINS, 296p, 323i, 343d; A, 219q, 227k, 237b, 240v, 249e, 268p, 298p; B, 220k, l, m, 227d, 240s, 269h, i, 298v, 313s, 318h, 320a, 323m, n, o, r, 324a, 328d, 336j, 349-1; C, 221u, 268o, 323o, 350r; D, 219q, 298p, v, 329q, 330r, 335-1; E, 247f, 273s, 314f, 342s; K, 219q, 260t
- VITREOUS HUMOR, 256e, 335b, 345o
- VOCAL CORDS, can., 354d; dis., 287r
- VOCATION, tests, 275r, 299u, 300b
- VULVA, can., 304q; dis., 247d
- WAR, dis., 311v; nutrition and food supply, 272c, 289c, 329v; prison & internment camps, 233f, 245r, 352t; public health aspects, 329u; wds. & inj., 308w
- WATER, 253g; metab., 247i, 283h, 356e; mineral, 337p, q, u, r, 352f; purification, 302g, 340a; spectrum analysis, 291w; supply, 303o, 312w
- WELLS, HERBERT GEORGE (1866-1946), 344i
- WESTLAKE HOSPITAL, MELROSE PARK, ILL., 230t
- WHEAT, 240t, 271u
- WHOOPING COUGH, immun., 327n; ther., 241c, 258w, 281d, 283n
- WOMEN, 273n, 352o
- WONGA WONGA, 245v
- WORKMEN'S COMPENSATION AND INSURANCE, 246k, 276f
- WORLD HEALTH ORGANIZATION, 344v
- WOUNDED AND SICK, transportation, 252t, 340w
- WOUNDS, gunshot, 221b, 252g, 258v, 353r; healing, 252a, 274f, 310k; infection, 252a
- WRIST, dis., 309h; fractures, 309h; surg., 309d
- WRITING, 300m
- YALE UNIVERSITY. SHEFFIELD SCIENTIFIC SCHOOL, 253q
- YEAST, 266e, 324j; metab., 223p
- YELLOW FEVER, epidemiol. & statist., 232d; exper. 357i, v; immun., 301b; virus, 311-1
- YTTERBIUM, spectrum analysis, 293f
- ZEEMAN EFFECT, 293f
- ZOOPHERIN, 318m

45r,
308w
337p,

,

58w,

,

per.